

LICENCE

No. 23472 replaces No.20756

Issued to:
Applicant:
NIKO N.V.
Industriepark-West 40
9100 SINT-NIKLAAS
Belgium

Licensee:
NIKO N.V.
Industriepark-West 40
9100 SINT-NIKLAAS
Belgium



Product : socket-outlets (2-pole)
Trade name(s) : NIKO
Type(s)/model(s) : see appendix


The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 14

SGS CEBEC hereby grants the right to use the CEBEC certification mark
The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on : 02/10/2025


ir. C. Lana,
Certification Manager



005-PROD
ISO/IEC 17065:2012

© Only integral publication of this certificate, including the annex, is allowed
This certificate is only valid combined with the publication on the following web address: www.sgs.com/ee



SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product	:	socket-outlets (2-pole)
Trade name(s)	:	NIKO
Type(s)/Model(s)	:	see appendix
serie(s)	:	A, B, C, D, E, F, G, H and J
rated voltage (Un)	:	250 V~
rated current (In)	:	16 A
earthing	:	with pin-earthing contact
standard sheet	:	I, V
method of mounting	:	surface-type and flush-type
method of installation	:	design A
existence of shutters	:	with shutters
degree of protection	:	IP 20 and IP 21
type of terminals	:	screw and screwless types
certification mark	:	complies with the requirements
markings	:	are shown on the body

Additional information

The cover plates and central plates are produced in different colours.
These series have been tested with various colours to cover the complete spectrum.

See Appendix

TESTS

Test requirements

NBN C 61-112-1:2017

Test results

The test results are laid down in test report(s) ref. 635187/01 and 629410_03_SMT24-003

Conclusion

The examination proved that all certification requirements were met.

Reviewed by, project leader : Yassine Echchaia - 02/10/2025

Supervised by : Silvio Piras - 02/10/2025



Certification Manager



2025-10-02

FACTORY LOCATION(S)

NIKO N.V.
Industriepark-West 40
9100 SINT-NIKLAAS
Belgium

Products References:

General product information:

Base + Central plate + Cover plate:

Frame 71/71

Screwless-type terminals:

- 170-73105+XXX-66601: 2P with earthing (pin), screwless-type terminals and with shutters (mounting depth = 28,5 mm), claw fixing
- 170-73115+XXX-66601: 2P with earthing (pin), screwless-type terminals and with shutters (mounting depth = 28,5 mm), screw fixing
- 170-73105+XXX-66603: 2P with earthing (pin), screwless-type terminals, with shutters and with cover (mounting depth = 28,5 mm), claw fixing
- 170-73115+XXX-66603: 2P with earthing (pin), screwless-type terminals, with shutters and with cover (mounting depth = 28,5 mm), screw fixing
- 170-73105+XXX-6660X: 2P with earthing (pin), screwless-type terminals, with shutters and voltage indication lens (mounting depth = 28,5 mm), claw fixing
- 170-73115+XXX-6660X: 2P with earthing (pin), screwless-type terminals, with shutters and voltage indication lens (mounting depth = 28,5 mm), screw fixing
- 170-73105+XXX-74001: 2P with earthing (pin), screwless-type terminals and with shutters (mounting depth = 28,5 mm), claw fixing
- 170-73115+XXX-74001: 2P with earthing (pin), screwless-type terminals and with shutters (mounting depth = 28,5 mm), screw fixing

All references above have an IP rating when paired with cover plates: IP21D

Cover plates:

- A1 Single cover plate serie A, Duoshell(bottom shell: PC/ASA / top shell: PC/ASA)
- A2-71 Double cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: PC/ASA)
- A3-71 Triple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: PC/ASA)
- A4-71 Quadruple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: PC/ASA)
- A5-71 Quintuple cover plate center 71mm serie A, Duoshell (bottom shell: PC/ASA / top shell: PC/ASA)
- B1 Single cover plate serie B, monoshell (PC/ASA)
- B2-71 Double cover plate center 71mm serie B, monoshell (PC/ASA)
- B3-71 Triple cover plate center 71mm serie B, monoshell (PC/ASA)
- B4-71 Quadruple cover plate center 71mm serie B, monoshell (PC/ASA)
- B5-71 Quintuple cover plate center 71mm serie B, monoshell (PC/ASA)
- C1 Single cover plate serie C, Duoshell (bottom shell: PC/ASA / top shell: metal; plexi)
- C2-71 Double cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: metal; plexi)
- C3-71 Triple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: metal; plexi)
- C4-71 Quadruple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: metal; plexi)
- C5-71 Quintuple cover plate center 71mm serie C, Duoshell (bottom shell: PC/ASA / top shell: metal; plexi)
- D1 Single cover plate serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; metal)
- D2-71 Double cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; metal)
- D3-71 Triple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; metal)
- D4-71 Quadruple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; metal)
- D5-71 Quintuple cover plate center 71mm serie D, Duoshell (bottom shell: PC/ASA / top shell: bamboo; metal)
- E1 Single cover plate serie E, monoshell (PC-ASA, PC)
- E2-71 Double cover plate center 71mm serie E, monoshell (PC-ASA, PC)
- E3-71 Triple cover plate center 71mm serie E, monoshell (PC-ASA, PC)
- E4-71 Quadruple cover plate center 71mm serie E, monoshell (PC-ASA, PC)
- E5-71 Quintuple cover plate center 71mm serie E, monoshell (PC-ASA, PC)

F1	Single cover for surface mounting (PC-ASA)
F2	Double cover for surface mounting (PC-ASA)
G1	Single cover plate series G (Duoshell, bottom: PC/ASA/ top shell: PF)
G2-71	Double cover plate center 71mm series G (Duoshell, bottom: PC/ASA/ top shell: PF)
G3-71	Triple cover plate center 71mm series G (Duoshell, bottom: PC/ASA/ top shell: PF)
H1	Single cover plate series H, Duoshell (bottom shell: PC/ASA / top shell: metal)
H2-71	Double cover plate center 71 mm series H Duoshell (bottom shell: PC/ASA / top shell: metal)
H3-71	Triple cover plate center 71 mm series H Duoshell (bottom shell: PC/ASA / top shell: metal)
J1	Single cover plate series J, Duoshell (bottom shell: PC/ASA / top shell: metal)
J2-71	Double cover plate center 71 mm series J Duoshell (bottom shell: PC/ASA / top shell: metal)
J3-71	Triple cover plate center 71 mm series J Duoshell (bottom shell: PC/ASA / top shell: metal)

XXX = Colour code. The cover plates and central plates are produced in different colours. These series have been tested with various colours to cover the complete spectrum.

Additional information on H and J series:

Toggle and rocker socket-outlet range combinations.

For all combination cover plates (from double to quadruple) the part of the cover plate covering the socket-outlet part of the multiple cover plates is covered.

These parts of the cover plates are marked as follows: S: socket-outlet part

