

Data Sheet | Item Number: 2006-401/000-050
Disconnect plug for carrier terminal blocks; white

<https://www.wago.com/2006-401/000-050>



Color: ■ white

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V
Rated impulse voltage (III/3)	8 kV
Rated current	30 A

Material data

Note (material data)	Information on material specifications can be found here
Color	white
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.029 MJ
Weight	2.2 g

Environmental requirements

Continuous operating temperature	105 °C
----------------------------------	--------

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143094689
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations



Approval	Standard	Certificate Name
Railway WAGO GmbH & Co. KG	-	Railway Ready

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2006-401/000-050	↓
--	-------------------

Documentation

Additional Information

Technical Section	pdf 2240.62 KB	↓
-------------------	-------------------	-------------------

Bid Text

2006-401/000-050	19.02.2019	xml 2.58 KB	↓
2006-401/000-050	28.04.2017	doc 23.50 KB	↓

CAD/CAE-Data


CAD data

2D/3D Models 2006-401/000-050	↓
----------------------------------	-------------------

CAE data

EPLAN Data Portal 2006-401/000-050	↓
ZUKEN Portal 2006-401/000-050	↓

Installation Notes



Carrier terminal block (2006-1661) with disconnect plug (2006-401/050-000) in operating position

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: www.wago.com