




Color: ■ violet Similar to illustration

| Technical data              |                                    |
|-----------------------------|------------------------------------|
| Marking method              | Thermal transfer                   |
| Marking                     | 51 ... 100                         |
| Marking (number)            | 2                                  |
| Marking direction           | Horizontal marking                 |
| Marking color               | black                              |
| Marking type                | Numbers                            |
| Marking differentiation     | Consecutive numbers per strip      |
| Delivery form               | Marker card                        |
| Delivery form configuration | 10 strips with 10 markers per card |
| Flammability class per UL94 | V2                                 |

| Physical data      |              |
|--------------------|--------------|
| Marker/strip width | 5 ... 5.2 mm |
| Marker width       | 5 mm         |

| Mechanical data  |                 |
|------------------|-----------------|
| Smear resistance | EN 60998-1:2004 |

| Material data |                               |
|---------------|-------------------------------|
| Color         | violet                        |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 8.8 g                         |
| Fire load     | 0.264 MJ                      |



| Commercial data       |               |
|-----------------------|---------------|
| eCl@ss 10.0           | 27-14-11-37   |
| eCl@ss 9.0            | 27-14-11-37   |
| ETIM 8.0              | EC000761      |
| ETIM 7.0              | EC000761      |
| PU (SPU)              | 50 (5) pcs    |
| Packaging type        | Box           |
| Country of origin     | DE            |
| GTIN                  | 4050821081890 |
| Customs tariff number | 4911990000    |

| Environmental Product Compliance |                         |
|----------------------------------|-------------------------|
| RoHS Compliance Status           | Compliant, No Exemption |


Downloads

| Environmental Product Compliance                     |  |
|------------------------------------------------------|--|
| Compliance Search                                    |  |
| Environmental Product Compliance<br>793-5507/000-024 |  |

| CAD/CAE-Data                          |  |
|---------------------------------------|--|
| CAE data                              |  |
| EPLAN Data Portal<br>793-5507/000-024 |  |

Installation Notes

Application



Separating a strip from the WMB or WMB marker card.



Stretching a WMB marker strip.



Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

| Marking |                                                                                |
|---------|--------------------------------------------------------------------------------|
|         | Snapping a WMB marker strip into the marker slot of the double marker carrier. |
|         | Snapping a marking strip into the marker slot.                                 |

