

Certificate of Compliance

Certificate Number(s):

UL-US-L510987-11-
60300202-2

Report Reference:

E510987-20200306

Issue Date:

2026-06-22

Issued to:

Guenther Spelsberg GmbH + Co. KG
Im Gewerbepark 1, Schalksmuehle, 58579, DE

This certificate confirms that representative samples of:

CYIV - Cabinets and Cutout Boxes

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 50, Edition 14, Issue Date 2024-02-29
UL 50E, Edition 3, Issue Date 2020-10-15,
Revision Date 2025-10-17

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L510987-11-60300202-2
Report reference: E510987-20200306
Issue Date: 2026-06-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models/Product

ULS, CNL - Series GEOS, including models, as follows.

GEOS, complete Enclosures with door:

GEOS-S 3030-18, GEOS-S 3030-22, GEOS-S 3040-18, GEOS-S 3040-22,
GEOS-S 4030-18, GEOS-S 4030-22, GEOS-S 4050-22, GEOS-S 5040-22, followed by -,
may be followed by t or tz, followed by o or m may be followed by /S, S/DK, S/VK/5, S/VK/8,
S/TX, may be followed by /sw

GEOS, base / box, only:

GEOS 3030-18, GEOS 3030-22, GEOS 3040-18, GEOS 3040-22, GEOS 4050-22

GEOS-S, frame with door, only:

GEOS-S 3030 (alternate short model designation: S-3030),
GEOS-S 3040 (alternate short model designation: S-3040),
GEOS-S 4030 (alternate short model designation: S-4030),
GEOS-S 4050 (alternate short model designation: S-4050),
GEOS-S 5040 (alternate short model designation: S-5040).

LISTED ACCESSORY for use with GEOS series:

Threaded lock (screw type) frame fastener replacement kit,
for GEOS-S, model designation:

GEOS-S 3030 S
GEOS-S 3040/4030 S
GEOS-S 4050/5040 S

GEOS-S 3030 S/DK
GEOS-S 3040/4030 S/DK
GEOS-S 4050/5040 S/DK

GEOS-S 3030 S/VK/5
GEOS-S 3040/4030 S/VK/5
GEOS-S 4050/5040 S/VK/5

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L510987-11-60300202-2
Report reference: E510987-20200306
Issue Date: 2026-06-22

GEOS-S 3030 S/VK/8
GEOS-S 3040/4030 S/VK/8
GEOS-S 4050/5040 S/VK/8

GEOS-S 3030 S/TX
GEOS-S 3040/4030 S/TX
GEOS-S 4050/5040 S/TX

Quick lock (bayonet type) frame fastener replacement kit,
for GEOS-S, model designation:

GEOS-S 3030 SV
GEOS-S 3040/4030 SV
GEOS-S 4050/5040 SV

Mounting means (optional intermediate brackets / angles) kit, model designation:

GEOS ABL-10
GEOS ABL-40
GEOS ABL-10/ES
GEOS ABL-40/ES

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L510987-11-60300202-2
Report reference: E510987-20200306
Issue Date: 2026-06-22

RATINGS:

GEOS enclosure series:	
Series GEOS, all models not provided with a ventilation element. And having other than wing-knob actuator as door fastener.	Type Rating: 4X, 12K
Series GEOS, all models not provided with a ventilation element. And are provided with wing-knob actuator as door fastener.	Type Rating: 4X
Series GEOS, all models provided with a ventilation element „BEL Air M40” rated 3R. And having other than wing-knob actuator as door fastener.	Type Rating: 3R
LISTED ACCESSORY for use with GEOS enclosure series:	
Threaded lock (screw type) frame fastener replacement kit: GEOS-S 3030 S GEOS-S 3040/4030 S GEOS-S 4050/5040 S GEOS-S 3030 S/DK GEOS-S 3040/4030 S/DK GEOS-S 4050/5040 S/DK GEOS-S 3030 S/VK/5 GEOS-S 3040/4030 S/VK/5 GEOS-S 4050/5040 S/VK/5 GEOS-S 3030 S/VK/8 GEOS-S 3040/4030 S/VK/8 GEOS-S 4050/5040 S/VK/8 GEOS-S 3030 S/TX GEOS-S 3040/4030 S/TX GEOS-S 4050/5040 S/TX	Suitable for Type 3R, 4X, 12K
Quick lock (bayonet type) frame fastener replacement kit: GEOS-S 3030 SV GEOS-S 3040/4030 SV GEOS-S 4050/5040 SV	Suitable for Type 3R, 4X, 12K
Mounting Means kit (optional): GEOS ABL-10 GEOS ABL-40 GEOS ABL-10/ES GEOS ABL-40/ES	Suitable for Type 3R, 4X, 12K

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-L510987-21-
60300202-2

Report Reference:

E510987-20200306

Issue Date:

2026-06-22

Issued to:

Guenther Spelsberg GmbH + Co. KG
Im Gewerbepark 1, Schalksmuehle, 58579, DE

This certificate confirms that representative samples of:
CYIV7 - Cabinets and Cutout Boxes Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 94.1, 3rd Ed., Issue Date: 2024-2-29
CSA C22.2 No. 94.2:20, 3rd Ed., Issue Date: 2020-10-15,
Revision Date: 2025-10-17

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L510987-21-60300202-2
Report reference: E510987-20200306
Issue Date: 2026-06-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models/Product

ULS, CNL - Series GEOS, including models, as follows.

GEOS, complete Enclosures with door:

GEOS-S 3030-18, GEOS-S 3030-22, GEOS-S 3040-18, GEOS-S 3040-22,
GEOS-S 4030-18, GEOS-S 4030-22, GEOS-S 4050-22, GEOS-S 5040-22, followed by -,
may be followed by t or tz, followed by o or m may be followed by /S, S/DK, S/VK/5, S/VK/8,
S/TX, may be followed by /sw

GEOS, base / box, only:

GEOS 3030-18, GEOS 3030-22, GEOS 3040-18, GEOS 3040-22, GEOS 4050-22

GEOS-S, frame with door, only:

GEOS-S 3030 (alternate short model designation: S-3030),
GEOS-S 3040 (alternate short model designation: S-3040),
GEOS-S 4030 (alternate short model designation: S-4030),
GEOS-S 4050 (alternate short model designation: S-4050),
GEOS-S 5040 (alternate short model designation: S-5040).

LISTED ACCESSORY for use with GEOS series:

Threaded lock (screw type) frame fastener replacement kit,
for GEOS-S, model designation:

GEOS-S 3030 S
GEOS-S 3040/4030 S
GEOS-S 4050/5040 S

GEOS-S 3030 S/DK
GEOS-S 3040/4030 S/DK
GEOS-S 4050/5040 S/DK

GEOS-S 3030 S/VK/5
GEOS-S 3040/4030 S/VK/5
GEOS-S 4050/5040 S/VK/5

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L510987-21-60300202-2
Report reference: E510987-20200306
Issue Date: 2026-06-22

GEOS-S 3030 S/VK/8
GEOS-S 3040/4030 S/VK/8
GEOS-S 4050/5040 S/VK/8

GEOS-S 3030 S/TX
GEOS-S 3040/4030 S/TX
GEOS-S 4050/5040 S/TX

Quick lock (bayonet type) frame fastener replacement kit,
for GEOS-S, model designation:

GEOS-S 3030 SV
GEOS-S 3040/4030 SV
GEOS-S 4050/5040 SV

Mounting means (optional intermediate brackets / angles) kit, model designation:

GEOS ABL-10
GEOS ABL-40
GEOS ABL-10/ES
GEOS ABL-40/ES

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L510987-21-60300202-2
Report reference: E510987-20200306
Issue Date: 2026-06-22

RATINGS:

GEOS enclosure series:	
Series GEOS, all models not provided with a ventilation element. And having other than wing-knob actuator as door fastener.	Type Rating: 4X, 12K
Series GEOS, all models not provided with a ventilation element. And are provided with wing-knob actuator as door fastener.	Type Rating: 4X
Series GEOS, all models provided with a ventilation element „BEL Air M40" rated 3R. And having other than wing-knob actuator as door fastener.	Type Rating: 3R
LISTED ACCESSORY for use with GEOS enclosure series:	
Threaded lock (screw type) frame fastener replacement kit: GEOS-S 3030 S GEOS-S 3040/4030 S GEOS-S 4050/5040 S GEOS-S 3030 S/DK GEOS-S 3040/4030 S/DK GEOS-S 4050/5040 S/DK GEOS-S 3030 S/VK/5 GEOS-S 3040/4030 S/VK/5 GEOS-S 4050/5040 S/VK/5 GEOS-S 3030 S/VK/8 GEOS-S 3040/4030 S/VK/8 GEOS-S 4050/5040 S/VK/8 GEOS-S 3030 S/TX GEOS-S 3040/4030 S/TX GEOS-S 4050/5040 S/TX	Suitable for Type 3R, 4X, 12K
Quick lock (bayonet type) frame fastener replacement kit: GEOS-S 3030 SV GEOS-S 3040/4030 SV GEOS-S 4050/5040 SV	Suitable for Type 3R, 4X, 12K
Mounting Means kit (optional): GEOS ABL-10 GEOS ABL-40 GEOS ABL-10/ES GEOS ABL-40/ES	Suitable for Type 3R, 4X, 12K

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.