# Data Sheet | Item Number: 206-2117

VDE slot screwdriver; 8.0 x 1.2 x 175; VDE tested; 1000 V; insulated; 2-component grip; size 4 (125 mm); green/gray


https://www.wago.com/206-2117





Color: ☐ green/gray





## Notes

| | |
|---|---|
| Safety Information | • Always use the appropriate VDE screwdriver variant for your screw head variant to prevent injury from slipping and damage to the VDE screwdriver or screw head.<br>• Keep the VDE screwdriver free from oil, grease and moisture to prevent slipping and potential injury.<br>• If the tip is damaged, replace the VDE screwdriver to prevent slipping and injury.<br>• Do not use the VDE screwdriver if the handle or insulation is damaged to prevent the risk of electric shock.<br>• Do not use the VDE screwdriver to open the contact spring on products with operating slots.<br>• Do not use the VDE screwdriver as a prying tool or chisel.<br>• Wear approved eye protection and the necessary personal protective equipment for your application.<br>• Environmental and storage information: Ensure that VDE screwdrivers are not exposed to strong heat sources (e.g., heating pipes or steam lines) or to UV radiation. |
| Safety information 2 | 1. Work on live or load-carrying parts may only be performed by properly trained and qualified personnel.<br>2. Use only for its intended purpose!<br>3. Observe national regulations, standards and guidelines!<br>4. Follow the technical specifications of the products!<br>5. Do not use soiled components.!<br>6. Use only compatible bits and drives! |

## Physical data

| | |
|---|---|
| Width | 36 mm / 1.417 inches |
| Height | 33 mm / 1.299 inches |
| Depth | 300 mm / 11.811 inches |
| Blade length | 175 mm |
| Grip length | 125 mm |

## Mechanical data

| | |
|---|---|
| Tip type | 8.0 x 1.2 |
| Continuous blade | No |
| Blade type | Straight |
| Roll-away protection | Yes |
| Hanging eyelet | Yes |
| Grip marking | Yes |
| Head marking | Yes |

## Material data

| | |
|---|---|
| Color | green/gray |
| Material 1 | Polypropylen (PP) |
| Material 2 | Thermoplastische Elastomere (TPE) |
| Fire load | 0 MJ |
| Blade material | 61CrSiV5 |
| Blade surface | Burnished |
| Weight | 170 g |

## Commercial data

| | |
|---|---|
| PU (SPU) | 1 pcs |
| Packaging type | unpacked |
| Country of origin | DE |
| GTIN | 4066966458886 |
| Customs tariff number | 82054000000 |

## Product Classification

| | |
|---|---|
| UNSPSC | 27111701 |
| ETIM 9.0 | EC000158 |
| ETIM 10.0 | EC000158 |
| ECCN | NO US CLASSIFICATION |

## Environmental Product Compliance

| | |
|---|---|
| RoHS Compliance Status | Compliant,No Exemption |


Continued on next page

## Downloads

### Environmental Product Compliance

**Compliance Search**

Environmental Product Compliance 206-2117