

**Wall elbow - Light Gold (PVD)**

SERIES SPECIFIC

28 450 980



- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

	Light Gold (PVD)	28 450 980-26
	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Dark Chrome	28 450 980-19
	Brushed Light Gold (PVD)	28 450 980-27
	Brushed Durabrass (23kt Gold)	28 450 980-28
	Matte Black	28 450 980-33
	Brushed Gold (PVD)	28 450 980-37
	Brushed Dark Brass (PVD)	28 450 980-39
	Brushed Bronze (PVD)	28 450 980-42
	Brushed Dark Bronze (PVD)	28 450 980-43
	Brushed Champagne (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Brushed Chrome	28 450 980-93
	Brushed Dark Platinum	28 450 980-99

**Recommended miscellaneous**

**Concealed wall elbow -**


35 085 970 90




- min. recess depth 90 mm
- max. recess depth 163 mm

28 450 980

mm [inches]



Flow rate chart



Codes & Standards

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## Wall elbow - Light Gold (PVD)

---

SERIES SPECIFIC

28 450 980

Certificates and sustainability

---

Belgaqua\_22\_280\_2 WRAS\_2310

28 450 980

