










28 450 845



- 3/8" shower outlet
- rosette 60 x 78 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

|                                                                                   |                          |               |
|-----------------------------------------------------------------------------------|--------------------------|---------------|
|  | Light Gold (PVD)         | 28 450 845-26 |
|  | Chrome                   | 28 450 845-00 |
|  | Brushed Platinum         | 28 450 845-06 |
|  | Dark Chrome              | 28 450 845-19 |
|  | Brushed Light Gold (PVD) | 28 450 845-27 |
|  | Matte Black              | 28 450 845-33 |
|  | Brushed Bronze (PVD)     | 28 450 845-42 |
|  | Brushed Chrome           | 28 450 845-93 |
|  | Brushed Dark Platinum    | 28 450 845-99 |


**Recommended miscellaneous**

- Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
  - max. recess depth 163 mm




28 450 845

mm [inches]



**Flow rate chart**



**Codes & Standards**

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## LISSÉ Wall elbow - Light Gold (PVD)

---

LISSÉ

28 450 845

Certificates and sustainability

---

WRAS\_2310

28 450 845

