

28 025 979 Product version from 4/1/2023



- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- 1/2" connection
- inherently safe from back flow
- with anti-scale system


Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Dark Brass (PVD)	28 025 979-39 0010
	Chrome	28 025 979-00 0010
	Brushed Platinum	28 025 979-06 0010
	Platinum	28 025 979-08 0010
	Dark Chrome	28 025 979-19 0010
	Light Gold (PVD)	28 025 979-26 0010
	Brushed Light Gold (PVD)	28 025 979-27 0010
	Brushed Durabrass (23kt Gold)	28 025 979-28 0010
	Matte Black	28 025 979-33 0010
	Brushed Gold (PVD)	28 025 979-37 0010
	Brushed Bronze (PVD)	28 025 979-42 0010
	Brushed Dark Bronze (PVD)	28 025 979-43 0010
	Brushed Champagne (22kt Gold)	28 025 979-46 0010
	Champagne (22kt Gold)	28 025 979-47 0010
	Brushed Chrome	28 025 979-93 0010
	Brushed Dark Platinum	28 025 979-99 0010

28 025 979 Product version from 4/1/2023

mm [inches]



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------


Ü-Zeichen

Certificates and sustainability

WRAS_250102	LGA_38
-------------	--------

28 025 979 Product version from 4/1/2023

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 23 01 039 90	Sieve seal Ø 19 x 5,5 mm -	1.00	14