

**Hand shower set with individual rosettes with volume control FlowReduce -  
Brushed Bronze (PVD)**

SERIES SPECIFIC

27 809 985



- with volume control
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

**Technical data:**

- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2" wall elbow
- 3/8" shower outlet

**Notes:**


	Brushed Bronze (PVD)	27 809 985-42 0010
	Chrome	27 809 985-00 0010
	Brushed Platinum	27 809 985-06 0010
	Platinum	27 809 985-08 0010
	Dark Chrome	27 809 985-19 0010
	Brushed Durabronze (23kt Gold)	27 809 985-28 0010
	Brushed Gold (PVD)	27 809 985-37 0010
	Brushed Dark Brass (PVD)	27 809 985-39 0010
	Brushed Champagne (22kt Gold)	27 809 985-46 0010
	Champagne (22kt Gold)	27 809 985-47 0010
	Brushed Chrome	27 809 985-93 0010
	Brushed Dark Platinum	27 809 985-99 0010

**Recommended miscellaneous**

- Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
  - max. recess depth 163 mm



27 809 985  
mm [inches]



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Ü-Zeichen

Certificates and sustainability

LGA\_29

IAPMO\_4976 (

27 809 985

