

## Data Sheet | Item Number: 249-140

Test plug module; without locking device; modular; for 4-conductor terminal blocks; gray

<https://www.wago.com/249-140>



Color: ■ gray

### Electrical data

#### Ratings per IEC/EN

Ratings (note)	Maximum test voltage (touch contact): 48 V (test pins are not touch-proof)
Nominal voltage (III/3)	800 V

#### Ratings per IEC/EN 2

Ratings (note) 2	Maximum test current (touch contact): 0.5 A Maximum test current: 6 A (if the test pins are securely connected in the clamping units)
------------------	--

### General information

Test voltage	800 V
Test current	0.5 A

### Physical data

Width	12 mm / 0.472 inches
Module width	12 mm / 0.472 inches

### Material data

Note (material data)	<a href="https://www.wago.com/us/material-specifications">Information on material specifications can be found here</a>
Color	gray
Insulation material	Polyamide (PA66)
Fire load	0.113 MJ
Weight	1.6 g

### Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-48
eCl@ss 9.0	27-14-11-48
ETIM 8.0	EC002555
ETIM 7.0	EC002555
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821868934
Customs tariff number	85366990990

### Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	84a5f697-efaf-49c1-9d61-432760906ca3
SCIP notification number (Belgium)	d470fdff-94a1-43af-a6b3-91c5262a6330
SCIP notification number (Bulgaria)	6a5e78f4-af0f-42d9-878f-6f0adc1a1c7a
SCIP notification number (Czech Republic)	3713d9a2-1371-4751-aecc-318ea7d7386d
SCIP notification number (Denmark)	3a8d30b1-70a5-4d04-9ff8-d4bf85786d52
SCIP notification number (Finland)	8a6e9f7f-db1f-4348-9980-26d7dd77c402
SCIP notification number (France)	db293802-6941-4910-8fde-d6ca0dd8f279
SCIP notification number (Germany)	f954783c-7fed-4baf-b400-e249637268e1
SCIP notification number (Hungary)	1c292f1e-b02a-4848-8221-98866cf3e465
SCIP notification number (Italy)	112429a7-d324-459f-8a20-6e00ed4c66bc
SCIP notification number (Netherlands)	3c261ae8-5d81-4276-9ad7-86134523ad51
SCIP notification number (Poland)	60c1cbef-8bfa-451b-8c2b-97274ea20ad0
SCIP notification number (Romania)	2b70f233-a850-4631-ba6d-f28470f93110
SCIP notification number (Sweden)	1bba7304-2ff8-4caa-974b-afed7e8be5d0

### Downloads

#### Environmental Product Compliance

##### Compliance Search

Environmental Product  
Compliance 249-140



### Documentation

#### Additional Information

Technical Section

pdf  
2240.62 KB



#### Bid Text

249-140

19.02.2019

xml  
3.14 KB



249-140

18.08.2017

doc  
24.00 KB



## CAD/CAE-Data

### CAD data

2D/3D Models 249-140



### CAE data

WSCAD Universe  
249-140



## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Test and measurement

##### 1.1.1.1 Testing accessories




[Item No.: 210-136](#)

Test plug; 2 mm Ø; with 500 mm cable; red

## Installation Notes

### Installation



Snapping individual modules together to assemble a multi-pole test plug module.