



Harmony XAC - Etiket 30x40mm - Wit / geel

ZB2BY4101

EAN Code: 3389110614855

Prijs: 2,79 EUR

Hoofd

product or component type	Blanco opschrift
type toebehoren	Bijschrift
categorie toebehoren	Markering toebehoren
verkoop per ondeelbare hoeveelheid	10

Complementair

markering	niet gemarkeerd op wit achtergrond niet gemarkeerd op geel achtergrond
standards	NF E 52-124
net weight	0,001 kg
bestemming toebehoren	Pendelcontrolestation voor stroomkring Pendelcontrolestation voor stuurkring
compatibiliteit product	XACM XACA XACB
afmetingen label	30 x 40 mm

Verpakkingseenheid

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0,100 cm
Package 1 Width	3,500 cm
Package 1 Length	4,500 cm
Package 1 Weight	0,800 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1,000 cm
Package 2 Width	8,000 cm
Package 2 Length	6,000 cm
Package 2 Weight	9,000 g
Unit Type of Package 3	S02
Number of Units in Package 3	1500
Package 3 Height	15,000 cm

De weergegeven prijs is de adviesprijs in euro excl. BTW. Deze kan onderhevig zijn aan korting. Neem contact op met uw lokale distributeur of detailhandel voor de daadwerkelijke prijs

Disclaimer: Deze documentatie is niet bedoeld als vervanging voor en mag niet worden gebruikt voor het bepalen van de geschiktheid of betrouwbaarheid van deze producten voor specifieke gebruikerstoepassingen

Package 3 Width	30,000 cm
Package 3 Length	40,000 cm
Package 3 Weight	1,816 kg

contractuele waarborg

Garantie	18 months
----------	-----------

Schneider Electric wil tegen 2050 de Net Zero-status hebben bereikt via partnerschappen in de toeleveringsketen, materialen met een lagere impact en circulariteit via onze doorlopende campagne "Use Better, Use Longer, Use Again" om de levensduur van producten en de recycleerbaarheid te verlengen.

[Uitleg van Environmental Data](#) >

[Hoe evalueren we de duurzaamheid van producten?](#) >

Milieuvoetafdruk	
Totale levenscyclus ecologische voetafdruk	1
Use Better	
Materialen en verpakking	
Pakket met gerecycleerd karton	Ja
Verpakkingen zonder kunststof	Nee
EU-richtlijn RoHS	Voldoet pro-actief (Product valt niet onder de EU RoHS juridische scope)
REACH-regelgeving	REACH-verklaring
Use Again	
Herverpakken en herfabriceren	
Terugname	No

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Easy Harmony XB2

Supports operating
temperature from
-25°C to +70°C

Excellent resistance
to mechanical shock
and vibration



Conforming to CE, CCC and
ROHS standards

Up to IP65
protection ratings

Offer Marketing Illustration

Product benefits / Features

Features

Easy Harmony XB2



Metal bezels with metal fixing collars for impact endurance



Designed to be used in numerous control and signaling applications



Metal screws for secure fix, grounding contact to the panel and anti-rotation



Simple modular design facilitates post installation servicing, modification and adaption of machines by non-specialists



Available in sub-assemblies for easy mix and match of functionalities



Image of product / Alternate images

Alternative





