

Product datasheet

Specifications



Device Feeder, Linergy FC, for 4 compact NSXm 4P, prewired connections to Linergy LGY Busbars

LVS04411

EAN Code: 3606481866530

Price: 797,70 EUR

Main

Range	Linergy
Range of product	Linergy
Product or component type	Device feeder
Product name	Linergy FC
Accessory / separate part category	Connection accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle ComPact ComPact NSXm circuit breaker
Provided equipment	Prefabricated flexible connection to Linergy busbars

Complementary

installation description	Cubicle - width 650 mm
Number of devices	4 (4P)
Poles description	4P
Installed device	ComPact: fixed NSXm without earth leakage protection - vertical installation
Mounting support	Mounting plate
Installation direction	Horizontal
[Ui] rated insulation voltage	800 V AC
[Uimp] rated impulse withstand voltage	8 kV
[Ie] rated operational current	500 A at 35 °C
[Ue] rated operational voltage	690 V
[Ipk] rated peak withstand current	18 kA
I ² t on activation	4500000 A ² .s
Permissible current	575 A at 40 °C: IP31 525 A at 50 °C: IP31 500 A at 40 °C: IP55 450 A at 50 °C: IP55
Connections - terminals	Supply: flexible bars (phase / neutral) Outgoer: plug in (phase / neutral) , 4 outgoing
Standards	IEC 61439-1 IEC 61439-2
Product certifications	KEMA ASTA
Quantity per set	Set of 1

Rates duty January 2016

Length	480 mm
Height	132 mm
Depth	235 mm
Colour	Black

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.500 cm
Package 1 Width	24.500 cm
Package 1 Length	49.000 cm
Package 1 Weight	6.657 kg
Unit Type of Package 2	P12
Number of Units in Package 2	35
Package 2 Height	86.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	246.995 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back


Yes

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Dimensions



- All dimensions are approximate and are in
- Also see technical documentation.