




Features

- Global Trac Pro - 3 Circuit Track, circuits can be controlled individually, aluminium body, suitable for surface mounting, 1000 x 31.5 x 32.5 mm (L x W x H), 1.097 kg, white (RAL 9010).

Product Overview

Product name	GLOBAL TRAC PRO 1M WHITE
Technology	Accessory
Housing	Aluminium
E-number SE	7402244
Light colour	N/A
Housing colour	RAL 9010 - Pure white
IP rating	IP20
IK rating	IK02
Product EAN number	6410014507060
Warranty	5 years

Technical drawings



Data table

GENERAL DATA

Product name	GLOBAL TRAC PRO 1M WHITE
Technology	Accessory
Housing	Aluminium
Operating temperature range (°C)	0°C...+25°C
E-number SE	7402244
Warranty	5 years

OPTICAL DATA

Light colour	N/A
--------------	-----

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

GLOBAL TRAC PRO 1M WHITE XTS4100-3

Housing colour	RAL 9010 - Pure white
IP rating	IP20
IK rating	IK02
Nominal Product Length (mm)	1000
Nominal Product Width (mm)	31.5
Weight (kg)	0.84

PACKAGING

Single packaging type	Plastic
Product EAN number	6410014507060
Packaging single width (cm)	3.2
Packaging single depth (cm)	3.7
DUN14 (outer)	06410014507060
Packaging outer length / height (cm)	101.3

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No