




Features

- Global Trac Pro - 3 Circuit Track, circuits can be controlled individually, aluminium body, suitable for surface mounting, 2000 x 31.5 x 32.5 mm (L x W x H), 1.952 kg, white (RAL 9010).

Product Overview

Product name	GLOBAL TRAC PRO 2M WHITE
Technology	Accessory
Housing	Aluminium
E-number SE	7402246
Light colour	N/A
Housing colour	RAL 9010 - Pure white
IP rating	IP20
IK rating	IK02
Product EAN number	6410014507077
Warranty	5 years

Technical drawings



Data table

GENERAL DATA

Product name	GLOBAL TRAC PRO 2M WHITE
Technology	Accessory
Housing	Aluminium
Operating temperature range (°C)	0°C...+25°C
E-number SE	7402246
Warranty	5 years

OPTICAL DATA

Light colour	N/A
--------------	-----

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

GLOBAL TRAC PRO 2M WHITE XTS4200-3

Housing colour	RAL 9010 - Pure white
IP rating	IP20
IK rating	IK02
Nominal Product Length (mm)	2000
Nominal Product Width (mm)	31.5
Weight (kg)	1.686

PACKAGING

Single packaging type	Carton
Product EAN number	6410014507077
Packaging single width (cm)	3.2
Packaging single depth (cm)	3.4
DUN14 (outer)	06410014507077
Packaging outer length / height (cm)	200.9

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No