



Features


- Global Trac Pro - 3 Circuit Track, circuits can be controlled individually, aluminium body, suitable for surface mounting, 3000 x 31.5 x 32.5 mm (L x W x H), 2.784 kg, black (RAL 9005).

Product Overview

Product name	GLOBAL TRAC PRO 3M BLACK
Technology	Accessory
Housing	Aluminium
E-number SE	7402247
Light colour	N/A
Housing colour	RAL 9005 - Jet black
IP rating	IP20
IK rating	IK02
Product EAN number	6410014506032
Warranty	5 years

GLOBAL TRAC PRO 3M BLACK XTS4300-2

Technical drawings



Data table

GENERAL DATA

Product name	GLOBAL TRAC PRO 3M BLACK
Technology	Accessory
Housing	Aluminium
Operating temperature range (°C)	0°C...+25°C
E-number SE	7402247
Warranty	5 years

OPTICAL DATA

Light colour	N/A
--------------	-----

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

GLOBAL TRAC PRO 3M BLACK XTS4300-2

Housing colour	RAL 9005 - Jet black
IP rating	IP20
IK rating	IK02
Nominal Product Length (mm)	3000
Nominal Product Width (mm)	31.5
Weight (kg)	2.534

PACKAGING

Single packaging type	Carton
Product EAN number	6410014506032
Packaging single width (cm)	3.2
Packaging single depth (cm)	3.3
DUN14 (outer)	06410014506032
Packaging outer length / height (cm)	300.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No