

35 620 970 90




- concealed rough parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- Queen's Collar: rounded cascade, max. 24 l/min
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- Input LED power supply
- Connector, 220-240V AC 50Hz power supply
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Provided by customer: Light switch

**Environment:**

- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

35 620 970 90



### Codes & Standards

DIN 4109


ISO 3822

Ü-Zeichen

### Certificates and sustainability

LGA\_29

35 620 970 90



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 24 03 239 02 90	Mounting for Sensory Sky 140 x 95 x 90 mm -	4.00	14
4	90 10 01 192 00 90	Power supply for Aquamoon / Rainmoon Concealed rough parts, mechanical 215 x 93 x 57 mm -	1.00	14
5	90 17 20 205 00 90	Holder BG support system pivot mount, mechanical AQUAMOON support system concealed rough parts 163 x 241 x 92 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
6	90 17 20 209 00 90	Holder Spray holder BG support system, mechanical AQUAMOON support system concealed rough parts 163 x 241 x 92 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
7	90 21 50 007 00 90	Set for Aquamoon / Rainmoon Mounting cable 20 x 4 x 810 mm -	2.00	-
Spare part can no longer be ordered, please order the replacement item				
8	90 17 20 215 00 90	Stop for Aquamoon mechanical 350 x 350 x 49,8 mm -	4.00	-
Spare part can no longer be ordered, please order the replacement item				
3	90 24 03 285 00 90	AQUAMOON <sup>ATT</sup> Connection 1/2" -	3.00	14
2	90 10 01 089 00 90	set of cable guides for Aquamoon / Rainmoon Concealed rough parts, mechanical Ø 30 x 100 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				