



### Connection Data

Cable type	LiYY
Color code	per DIN VDE 47100

### Connection 1

Pluggable connector	Pluggable connector per DIN 41651; female connector
Pole number 1	20
Connection type	System
Wire cross-section	0.14 mm <sup>2</sup>

### Connection 2

Connector	Pluggable connector per DIN 41651; female connector
Pole number	20
Connection type	System
Wire cross-section	0.14 mm <sup>2</sup>

### Connection 3

Connector	Fujitsu ref FCN-367-J40/ AU/ H
Pole number	40
Connection type	System
Wire cross-section	0.14 mm <sup>2</sup>

### Physical data

Cable length	1 m
--------------	-----

### Material data

Fire load	0 MJ
Weight	196 g

### Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

### Commercial data

Product Group	30 (WAGO France)
PU (SPU)	1 pcs
Packaging type	not specified
Country of origin	FR
GTIN	4045454873813
Customs tariff number	85444290900

### Product Classification

UNSPSC	26121629
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

### Downloads

#### Environmental Product Compliance

##### Compliance Search

Environmental Product  
Compliance  
706-3340/302-100



### Documentation

#### System Description

WAGO System Wiring,  
Selection Guide

pdf  
533.15 KB

