

WCD JUNCTION BOX LIDS + PREWIRED JUNCTION BOX WCD

Product Environmental Profile

Environmental Product Declaration



Document in compliance with ISO 14025: 2010 "Environmental labels and declarations. Type III environmental declarations"

| | | | | | |
|--|----------------|-----------------------------|------|-------|------|
| ORGANIZATION | | CONTACT INFORMATION | | | |
| ABB b.v. | | Jeroen.j.donders@nl.abb.com | | | |
| MANUFACTURING ADDRESS | | WEBSITE | | | |
| Frankeneng 15, 6716 AA, Ede, Netherlands | | new.abb.com | | | |
| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 1/17 |
| © Copyright 2022 ABB. All rights reserved. | | | | | |



ABB Purpose & Embedding Sustainability

ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow.

With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.




General Information

| | |
|-----------------------------------|---|
| Reference product | 1SPA007160F9200 3611W2 S |
| Description of the product | Junction box for creating connections between wires and having 1 or more outputs in the lid for connecting other equipment. |
| Functional unit | Connect/Disconnect during 20 years the plug of a load consuming 16A under a voltage of 230V while protecting the user from direct contact with live parts and with a protection class IP20 and no specified IK grade. |
| Other products covered | 1SPA007102F9300 3620GST-E S, 1SPA007102F9305 3620GST-T S, 1SPA007160F9195 3611W1 S, 1SPA007160F9210 3611W2-R S, 1SPA007160F9220 3611W2-G S, 1SPA007160F9225 3611W1-P S |

| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 2/17 |



Constituent materials



Total weight (kg) of Reference product including packaging

1,33E-01

| Plastics as % of weight | | Metals as % of weight | | Others as % of weight | |
|-------------------------|----------|-----------------------|----------|-----------------------|----------|
| Name and CAS number | Weight-% | Name and CAS number | Weight-% | Name and CAS number | Weight-% |
| Plastics | 66,0 | Metals | 25,0 | Others | 0,0 |
| - | - | - | - | Packaging | 9,0 |
| | | | | | |
| | | | | | |
| | | | | | |



Additional Environmental Information

| | |
|--|---|
| Manufacturing | Manufactured at Ede factory in the Netherlands, ISO 14001 certified. In the manufacturing process is considered the raw material including the packaging, its transport to the production site and the manufacturing process itself. |
| Distribution | Packaging consists of a cardboard box, a pallet and LDPE. The transport distance per product is 150 kilometres, which is based on the default transport distance for the distribution stage from the National Environmental Database (Nationale Milieu Database, hereafter referred to as NMD) Dutch standard Environmental Performance Assessment Method for Construction Works, calculation method to determine environmental performance of construction works throughout their service life, based on EN 15804 (hereafter referred as NMD Assessment method). |
| Installation | For the installation of the product, no special installation procedure is required and no significant energy is required to install the products. In some occasions, screws are used to fix products to a surface which is out of the scope of this report. |
| Use | The product does not require special maintenance operations. The use stage includes energy dissipation which means energy is dissipated due to generation of heat in the system. |
| End of life | No special end-of-life treatment is required. The waste treatment and disposal scenarios of the materials are based on default waste treatment and disposal scenarios from the Dutch standard NMD Assessment method. |
| Benefits and loads beyond the system boundaries | Benefits and loads beyond the system boundaries are included |

| SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------------|----------------------|------|-------|------|
| Public | ABBG-00117-V01.01-EN | 1 | en | 4/17 |



Environmental impacts


| | |
|---|--|
| Reference lifetime | 20 years |
| Product category | Sockets |
| Installation elements | Clickable to standard installation material and accessoires, also te product can be fixated by screws. |
| Use scenario | Load factor: 50% of In Use rate: 50% of the RLT |
| Geographical representativeness | Good quality |
| Technological representativeness | Good quality |
| Software and database used | LCA calculations made with Simapro 9.3, with the EN 15804:2019+A2 characterization factors (IPCC AR5) and Ecoinvent version 3.8 database |

Energy model used

| | |
|----------------------|--|
| Manufacturing | Electricity, low voltage {NL} market for Cut-off, S |
| Installation | Non-applicable |
| Use | Electricity, low voltage {NL} market for Cut-off, S |
| End of life | Electricity, low voltage {NL} market for Cut-off, S |

| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 5/17 |

Common base of mandatory indicators



Environmental impact indicators

| Indicator | Unit | Total | Manu- facturing | Distri- bution | Instal- lation | Use | End of life | Bene- fits |
|---|------------------------|----------|--------------------|-------------------|-------------------|----------|----------------|---------------|
| GWP-total | kg CO ₂ eq. | 4,31E+01 | 5,06E-01 | 1,82E-03 | 5,92E-02 | 4,24E+01 | 2,30E-01 | -2,18E-01 |
| GWP-fossil | kg CO ₂ eq. | 4,27E+01 | 5,42E-01 | 1,82E-03 | 1,31E-03 | 4,19E+01 | 2,29E-01 | -2,67E-01 |
| GWP-biogenic | kg CO ₂ eq. | 4,81E-01 | -3,66E-02 | 1,32E-06 | 5,79E-02 | 4,60E-01 | 5,06E-04 | 4,87E-02 |
| GWP-luluc | kg CO ₂ eq. | 1,31E-02 | 6,95E-04 | 5,30E-07 | 2,90E-07 | 1,24E-02 | 1,31E-05 | -2,34E-04 |
| GWP-fossil = Global Warming Potential fossil fuels GWP-biogenic = Global Warming Potential biogenic GWP-luluc = Global Warming Potential land use and land use change | | | | | | | | |
| ODP | kg CFC-11 eq. | 2,07E-06 | 3,33E-08 | 4,27E-10 | 1,71E-10 | 2,03E-06 | 3,58E-09 | -2,00E-08 |
| ODP = Depletion potential of the stratospheric ozone layer | | | | | | | | |
| AP | H ⁺ eq. | 1,17E-01 | 1,88E-02 | 7,63E-06 | 5,20E-06 | 9,79E-02 | 1,39E-04 | -1,08E-02 |
| AP = Acidification potential, Accumulated Exceedance | | | | | | | | |
| EP-freshwater | kg P eq. | 2,54E-03 | 1,46E-04 | 1,38E-08 | 1,24E-08 | 2,39E-03 | 4,15E-07 | -8,78E-05 |
| EP-marine | kg N eq. | 2,22E-02 | 1,17E-03 | 2,29E-06 | 1,84E-06 | 2,10E-02 | 3,68E-05 | -5,94E-04 |
| EP-terrestrial | mol N eq. | 2,75E-01 | 1,71E-02 | 2,54E-05 | 1,96E-05 | 2,57E-01 | 3,95E-04 | -8,52E-03 |
| EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment EP-terrestrial = Eutrophication potential, Accumulated Exceedance | | | | | | | | |
| POCP | kg NMVOC eq. | 6,80E-02 | 4,17E-03 | 8,16E-06 | 6,31E-06 | 6,37E-02 | 1,13E-04 | -2,30E-03 |
| POCP = Formation potential of tropo-spheric ozone | | | | | | | | |
| ADP-minerals & metals | kg Sb eq. | 1,01E-03 | 8,41E-04 | 3,10E-08 | 2,58E-08 | 1,69E-04 | 2,42E-07 | -4,51E-04 |
| ADP-fossil | MJ | 5,57E+02 | 7,01E+00 | 2,82E-02 | 1,23E-02 | 5,49E+02 | 2,90E-01 | -3,63E+00 |
| ADP-minerals & metals = Abiotic depletion potential for non-fossil resources ADP-fossil = Abiotic depletion for fossil resources potential | | | | | | | | |
| WDP | m ³ e depr. | 4,56E+00 | 3,13E-01 | 9,17E-05 | 4,90E-05 | 4,22E+00 | 2,56E-02 | -1,12E-01 |
| WDP = Water Deprivation potential | | | | | | | | |

| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 6/17 |

Common base of mandatory indicators

Inventory flows indicator – Resource use indicators

| Indicator | Unit | Total | Manu- facturing | Distri- bution | Instal- lation | Use | End of life | Bene- fits |
|-----------|------|----------|--------------------|-------------------|-------------------|----------|----------------|---------------|
| PERE | MJ | 5,92E+01 | 4,55E-03 | 3,55E-04 | 3,17E-04 | 5,92E+01 | 2,39E-02 | -1,06E+00 |
| PERM | MJ | 1,14E-01 | 1,14E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 5,94E+01 | 1,19E-01 | 3,55E-04 | 3,17E-04 | 5,92E+01 | 2,39E-02 | -1,06E+00 |
| PENRE | MJ | 5,93E+02 | 4,92E+00 | 3,00E-02 | 1,31E-02 | 5,88E+02 | 3,08E-01 | -3,92E+00 |
| PENRM | MJ | 2,60E+00 | 2,60E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 5,96E+02 | 7,52E+00 | 3,00E-02 | 1,31E-02 | 5,88E+02 | 3,08E-01 | -3,92E+00 |

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials
 PERM = Use of renewable primary energy resources used as raw materials
 PERT = Total Use of renewable primary energy resources
 PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials
 PENRM = Use of non-renewable primary energy resources used as raw materials
 PENRT = Total Use of non-renewable primary energy re-sources)

Inventory flows indicator – Indicators describing the use of secondary materials, water, and energy re-sources

| Indicator | Unit | Total | Manu- facturing | Distri- bution | Instal- lation | Use | End of life | Bene- fits |
|-----------|----------------|----------|--------------------|-------------------|-------------------|----------|----------------|---------------|
| SM | kg | 7,69E-02 | 7,69E-02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 2,77E-01 | 2,77E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 3,46E-01 | 8,34E-03 | 3,22E-06 | 2,33E-06 | 3,37E-01 | 8,23E-04 | -3,16E-03 |

SM = Use of secondary material
 RSF = Use of renewable secondary fuels
 NRSF = Use of non-renewable secondary fuels
 FW = Use of net fresh water

Inventory flows indicator – Waste category indicators

| Indicator | Unit | Total | Manu- facturing | Distri- bution | Instal- lation | Use | End of life | Bene- fits |
|-------------------------------|------|----------|--------------------|-------------------|-------------------|----------|----------------|---------------|
| Hazardous waste disposed | kg | 6,87E-04 | 2,63E-04 | 6,85E-08 | 3,31E-08 | 4,24E-04 | 3,03E-07 | -5,57E-05 |
| Non- hazardous waste disposed | kg | 1,73E+00 | 1,00E-01 | 2,46E-03 | 6,91E-04 | 1,62E+00 | 1,18E-02 | -4,27E-02 |
| Radioactive waste disposed | kg | 1,15E-03 | 1,50E-05 | 1,93E-07 | 7,96E-08 | 1,14E-03 | 1,60E-06 | -6,55E-06 |

| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 7/17 |

Common base of mandatory indicators

Inventory flows indicator – Output flow indicators

| Indicator | Unit | Total | Manu- facturing | Distri- bution | Instal- lation | Use | End of life | Bene- fits |
|-------------------------------|------|----------|--------------------|-------------------|-------------------|----------|----------------|---------------|
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Materials for recycling | kg | 3,82E-02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 3,82E-02 | 0,00E+00 |
| Materials for energy recovery | kg | 7,59E-02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 7,59E-02 | 0,00E+00 |
| Exported energy | MJ | 4,47E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 4,47E-01 | 0,00E+00 |

Inventory flow indicator – other indicators

| Indicator | Unit | Total |
|---|---------|----------|
| Biogenic carbon content of the product | kg of C | 4,67E-04 |
| Biogenic carbon content of the associated packaging | kg of C | 2,01E-02 |

Optional indicators

Environmental indicators

| Indicator | Unit | Total | Manu- facturing | Distri- bution | Instal- lation | Use | End of life | Bene- fits |
|---|------------------------------------|----------|--------------------|-------------------|-------------------|----------|----------------|---------------|
| Total use of primary energy during the life cycle | MJ | 1,31E+03 | 1,53E+01 | 6,07E-02 | 2,68E-02 | 1,29E+03 | 6,65E-01 | -9,97E+00 |
| Emissions of fine particles | inci- dence of dis- eases | 3,80E-07 | 5,81E-08 | 1,64E-10 | 9,48E-11 | 3,21E-07 | 8,19E-10 | -2,58E-08 |
| Ionizing radiation, human health | kBq U235 eq. | 1,15E+00 | 1,60E-02 | 1,23E-04 | 5,40E-05 | 1,14E+00 | 1,29E-03 | -7,06E-03 |
| Ecotoxicity (fresh water) | CTUe | 7,33E+02 | 1,73E+02 | 2,25E-02 | 1,77E-02 | 5,58E+02 | 1,46E+00 | -1,05E+02 |
| Human toxicity, car-cinogenic effects | CTUh | 1,23E-08 | 2,59E-09 | 5,54E-13 | 8,04E-13 | 9,58E-09 | 1,64E-10 | -1,50E-09 |
| Human toxicity, non-carcinogenic effects | CTUh | 5,15E-07 | 2,01E-07 | 2,56E-11 | 2,19E-11 | 3,13E-07 | 2,01E-09 | -1,21E-07 |
| Impact related to land use/soil quality | kg | 1,20E+02 | 7,06E+00 | 3,23E-02 | 8,54E-03 | 1,13E+02 | 1,01E-01 | -6,15E+00 |

Other indicators

| Indicator | Unit | Total | Manu- facturing | Distri- bution | Instal- lation | Use | End of life | Bene- fits |
|--------------------------|------|-------|--------------------|-------------------|-------------------|-----|----------------|---------------|
| No Other indicators used | | | | | | | | |

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

| Product name | Manufacturing | Distribution | Installation | Use | End of life | Benefits |
|--|----------------|----------------------|--------------|----------|-------------|----------|
| 1SPA007102F9300 | | | | | | |
| 051. Climate change | 1,48E+00 | 1,57E+00 | 2,18E+00 | 8,48E-01 | 1,49E+00 | 1,34E+00 |
| 052. Climate change - Fossil | 1,52E+00 | 1,57E+00 | 2,34E+00 | 8,48E-01 | 1,49E+00 | 1,46E+00 |
| 053. Climate change - Biogenic | 2,06E+00 | 1,57E+00 | 2,18E+00 | 8,48E-01 | 1,12E+00 | 1,99E+00 |
| 054. Climate change - Land use and LU ch | 2,08E+00 | 1,57E+00 | 2,43E+00 | 8,48E-01 | 1,26E+00 | 1,59E+00 |
| 055. Ozone depletion | 1,51E+00 | 1,57E+00 | 2,37E+00 | 8,48E-01 | 1,26E+00 | 1,51E+00 |
| 056. Acidification | 1,23E+00 | 1,57E+00 | 2,44E+00 | 8,48E-01 | 1,32E+00 | 1,17E+00 |
| 057. Eutrophication, freshwater | 1,35E+00 | 1,57E+00 | 2,49E+00 | 8,48E-01 | 1,28E+00 | 1,18E+00 |
| 058. Eutrophication, marine | 1,50E+00 | 1,57E+00 | 2,46E+00 | 8,48E-01 | 1,41E+00 | 1,25E+00 |
| 059. Eutrophication, terrestrial | 1,40E+00 | 1,57E+00 | 2,45E+00 | 8,48E-01 | 1,41E+00 | 1,23E+00 |
| 060. Photochemical ozone formation | 1,41E+00 | 1,57E+00 | 2,46E+00 | 8,48E-01 | 1,38E+00 | 1,23E+00 |
| 061. Resource use, minerals and metals | 1,52E+00 | 1,57E+00 | 2,49E+00 | 8,48E-01 | 1,34E+00 | 1,23E+00 |
| 062. Resource use, fossils | 1,54E+00 | 1,57E+00 | 2,38E+00 | 8,48E-01 | 1,27E+00 | 1,50E+00 |
| 063. Water use | 1,43E+00 | 1,57E+00 | 2,57E+00 | 8,48E-01 | 1,23E+00 | 1,28E+00 |
| 064. Particulate matter | 1,33E+00 | 1,57E+00 | 2,43E+00 | 8,48E-01 | 1,40E+00 | 1,24E+00 |
| 065. Ionising radiation | 1,67E+00 | 1,57E+00 | 2,39E+00 | 8,48E-01 | 1,24E+00 | 1,41E+00 |
| 066. Ecotoxicity, freshwater | 1,33E+00 | 1,57E+00 | 2,48E+00 | 8,48E-01 | 1,20E+00 | 1,17E+00 |
| 067. Human toxicity, cancer | 1,24E+00 | 1,57E+00 | 2,50E+00 | 8,48E-01 | 1,22E+00 | 1,18E+00 |
| 068. Human toxicity, non-cancer | 1,18E+00 | 1,57E+00 | 2,42E+00 | 8,48E-01 | 1,23E+00 | 1,15E+00 |
| 069. Land use | 1,78E+00 | 1,57E+00 | 2,24E+00 | 8,48E-01 | 1,37E+00 | 1,82E+00 |
| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE | |
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 10/17 | |
| © Copyright 2022 ABB. All rights reserved. | | | | | | |

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

| Product name | Manufacturing | Distribution | Installation | Use | End of life | Benefits |
|--|----------------|----------------------|--------------|----------|-------------|----------|
| 1SPA007102F9305 | | | | | | |
| 051. Climate change | 1,98E+00 | 1,75E+00 | 2,18E+00 | 8,48E-01 | 1,64E+00 | 1,56E+00 |
| 052. Climate change - Fossil | 1,99E+00 | 1,75E+00 | 2,34E+00 | 8,48E-01 | 1,63E+00 | 1,64E+00 |
| 053. Climate change - Biogenic | 2,09E+00 | 1,75E+00 | 2,18E+00 | 8,48E-01 | 5,70E+00 | 1,99E+00 |
| 054. Climate change - Land use and LU ch | 2,45E+00 | 1,75E+00 | 2,43E+00 | 8,48E-01 | 1,55E+00 | 1,80E+00 |
| 055. Ozone depletion | 2,03E+00 | 1,75E+00 | 2,37E+00 | 8,48E-01 | 1,53E+00 | 1,69E+00 |
| 056. Acidification | 1,58E+00 | 1,75E+00 | 2,44E+00 | 8,48E-01 | 1,56E+00 | 1,47E+00 |
| 057. Eutrophication, freshwater | 1,82E+00 | 1,75E+00 | 2,49E+00 | 8,48E-01 | 1,57E+00 | 1,48E+00 |
| 058. Eutrophication, marine | 2,06E+00 | 1,75E+00 | 2,46E+00 | 8,48E-01 | 1,60E+00 | 1,53E+00 |
| 059. Eutrophication, terrestrial | 1,87E+00 | 1,75E+00 | 2,45E+00 | 8,48E-01 | 1,60E+00 | 1,51E+00 |
| 060. Photochemical ozone formation | 1,91E+00 | 1,75E+00 | 2,46E+00 | 8,48E-01 | 1,59E+00 | 1,51E+00 |
| 061. Resource use, minerals and metals | 2,07E+00 | 1,75E+00 | 2,49E+00 | 8,48E-01 | 1,60E+00 | 1,51E+00 |
| 062. Resource use, fossils | 2,02E+00 | 1,75E+00 | 2,38E+00 | 8,48E-01 | 1,54E+00 | 1,66E+00 |
| 063. Water use | 1,91E+00 | 1,75E+00 | 2,57E+00 | 8,48E-01 | 1,55E+00 | 1,54E+00 |
| 064. Particulate matter | 1,72E+00 | 1,75E+00 | 2,43E+00 | 8,48E-01 | 1,63E+00 | 1,52E+00 |
| 065. Ionising radiation | 2,30E+00 | 1,75E+00 | 2,39E+00 | 8,48E-01 | 1,53E+00 | 1,62E+00 |
| 066. Ecotoxicity, freshwater | 1,78E+00 | 1,75E+00 | 2,48E+00 | 8,48E-01 | 1,47E+00 | 1,48E+00 |
| 067. Human toxicity, cancer | 1,60E+00 | 1,75E+00 | 2,50E+00 | 8,48E-01 | 1,50E+00 | 1,48E+00 |
| 068. Human toxicity, non-cancer | 1,49E+00 | 1,75E+00 | 2,42E+00 | 8,48E-01 | 1,36E+00 | 1,46E+00 |
| 069. Land use | 2,11E+00 | 1,75E+00 | 2,24E+00 | 8,48E-01 | 1,59E+00 | 1,91E+00 |
| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE | |
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 11/17 | |
| © Copyright 2022 ABB. All rights reserved. | | | | | | |

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

| Product name | Manufacturing | Distribution | Installation | Use | End of life | Benefits |
|--|----------------|----------------------|--------------|----------|-------------|----------|
| 1SPA007160F9195 | | | | | | |
| 051. Climate change | 1,11E+00 | 1,22E+00 | 1,10E+00 | 1,22E+00 | 1,11E+00 | 9,31E-01 |
| 052. Climate change - Fossil | 1,10E+00 | 1,22E+00 | 1,88E+00 | 1,22E+00 | 1,11E+00 | 9,44E-01 |
| 053. Climate change - Biogenic | 9,61E-01 | 1,22E+00 | 1,09E+00 | 1,22E+00 | 1,69E+00 | 1,00E+00 |
| 054. Climate change - Land use and LU ch | 1,34E+00 | 1,22E+00 | 1,21E+00 | 1,22E+00 | 2,21E+00 | 8,70E-01 |
| 055. Ozone depletion | 1,86E+00 | 1,22E+00 | 1,18E+00 | 1,22E+00 | 2,30E+00 | 1,27E+00 |
| 056. Acidification | 7,99E-01 | 1,22E+00 | 1,24E+00 | 1,22E+00 | 1,61E+00 | 7,61E-01 |
| 057. Eutrophication, freshwater | 7,94E-01 | 1,22E+00 | 1,24E+00 | 1,22E+00 | 2,45E+00 | 7,69E-01 |
| 058. Eutrophication, marine | 8,56E-01 | 1,22E+00 | 1,25E+00 | 1,22E+00 | 1,40E+00 | 8,01E-01 |
| 059. Eutrophication, terrestrial | 8,74E-01 | 1,22E+00 | 1,25E+00 | 1,22E+00 | 1,44E+00 | 7,89E-01 |
| 060. Photochemical ozone formation | 1,14E+00 | 1,22E+00 | 1,25E+00 | 1,22E+00 | 1,47E+00 | 8,03E-01 |
| 061. Resource use, minerals and metals | 6,46E-01 | 1,22E+00 | 1,24E+00 | 1,22E+00 | 4,53E+00 | 6,31E-01 |
| 062. Resource use, fossils | 1,52E+00 | 1,22E+00 | 1,19E+00 | 1,22E+00 | 1,74E+00 | 9,59E-01 |
| 063. Water use | 8,45E-01 | 1,22E+00 | 1,31E+00 | 1,22E+00 | 1,00E+01 | 9,33E-01 |
| 064. Particulate matter | 8,76E-01 | 1,22E+00 | 1,21E+00 | 1,22E+00 | 2,10E+00 | 7,90E-01 |
| 065. Ionising radiation | 1,39E+00 | 1,22E+00 | 1,19E+00 | 1,22E+00 | 1,67E+00 | 8,85E-01 |
| 066. Ecotoxicity, freshwater | 7,71E-01 | 1,22E+00 | 1,24E+00 | 1,22E+00 | 6,82E+00 | 7,57E-01 |
| 067. Human toxicity, cancer | 9,73E-01 | 1,22E+00 | 1,28E+00 | 1,22E+00 | 9,22E-01 | 7,53E-01 |
| 068. Human toxicity, non-cancer | 7,55E-01 | 1,22E+00 | 1,26E+00 | 1,22E+00 | 1,64E+00 | 7,35E-01 |
| 069. Land use | 9,81E-01 | 1,22E+00 | 1,13E+00 | 1,22E+00 | 2,49E+00 | 9,63E-01 |
| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE | |
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 12/17 | |
| © Copyright 2022 ABB. All rights reserved. | | | | | | |

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

| Product name | Manufacturing | Distribution | Installation | Use | End of life | Benefits |
|--|----------------|----------------------|--------------|----------|-------------|----------|
| 1SPA007160F9210 | | | | | | |
| 051. Climate change | 9,89E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,22E-01 | 9,36E-01 |
| 052. Climate change - Fossil | 9,90E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,21E-01 | 9,47E-01 |
| 053. Climate change - Biogenic | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 1,00E+00 | 1,00E+00 |
| 054. Climate change - Land use and LU ch | 9,96E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,76E-01 | 9,96E-01 |
| 055. Ozone depletion | 9,87E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,74E-01 | 9,44E-01 |
| 056. Acidification | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,60E-01 | 9,98E-01 |
| 057. Eutrophication, freshwater | 9,97E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,75E-01 | 9,96E-01 |
| 058. Eutrophication, marine | 9,98E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,36E-01 | 9,90E-01 |
| 059. Eutrophication, terrestrial | 9,98E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,38E-01 | 9,92E-01 |
| 060. Photochemical ozone formation | 9,99E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,45E-01 | 9,92E-01 |
| 061. Resource use, minerals and metals | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,51E-01 | 1,00E+00 |
| 062. Resource use, fossils | 9,93E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,72E-01 | 9,39E-01 |
| 063. Water use | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,61E-01 | 9,86E-01 |
| 064. Particulate matter | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,46E-01 | 9,96E-01 |
| 065. Ionising radiation | 9,88E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,82E-01 | 9,72E-01 |
| 066. Ecotoxicity, freshwater | 9,99E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,69E-01 | 9,99E-01 |
| 067. Human toxicity, cancer | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,88E-01 | 9,99E-01 |
| 068. Human toxicity, non-cancer | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,65E-01 | 1,00E+00 |
| 069. Land use | 9,97E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,46E-01 | 9,96E-01 |
| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE | |
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 13/17 | |
| © Copyright 2022 ABB. All rights reserved. | | | | | | |

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

| Product name | Manufacturing | Distribution | Installation | Use | End of life | Benefits |
|--|---------------|--------------|--------------|----------|-------------|----------|
| 1SPA007160F9220 | | | | | | |
| 051. Climate change | 9,89E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,22E-01 | 9,36E-01 |
| 052. Climate change - Fossil | 9,90E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,21E-01 | 9,47E-01 |
| 053. Climate change - Biogenic | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 1,00E+00 | 1,00E+00 |
| 054. Climate change - Land use and LU ch | 9,96E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,76E-01 | 9,96E-01 |
| 055. Ozone depletion | 9,87E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,74E-01 | 9,44E-01 |
| 056. Acidification | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,60E-01 | 9,98E-01 |
| 057. Eutrophication, freshwater | 9,97E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,75E-01 | 9,96E-01 |
| 058. Eutrophication, marine | 9,98E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,36E-01 | 9,90E-01 |
| 059. Eutrophication, terrestrial | 9,98E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,38E-01 | 9,92E-01 |
| 060. Photochemical ozone formation | 9,99E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,45E-01 | 9,92E-01 |
| 061. Resource use, minerals and metals | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,51E-01 | 1,00E+00 |
| 062. Resource use, fossils | 9,93E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,72E-01 | 9,39E-01 |
| 063. Water use | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,61E-01 | 9,86E-01 |
| 064. Particulate matter | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,46E-01 | 9,96E-01 |
| 065. Ionising radiation | 9,87E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,82E-01 | 9,72E-01 |
| 066. Ecotoxicity, freshwater | 9,99E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,69E-01 | 9,99E-01 |
| 067. Human toxicity, cancer | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,88E-01 | 9,99E-01 |
| 068. Human toxicity, non-cancer | 1,00E+00 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,65E-01 | 1,00E+00 |
| 069. Land use | 9,97E-01 | 9,38E-01 | 1,00E+00 | 1,00E+00 | 9,46E-01 | 9,96E-01 |

| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|-------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 14/17 |

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

| Product name | Manufacturing | Distribution | Installation | Use | End of life | Benefits |
|--|---------------|--------------|--------------|----------|-------------|----------|
| 1SPA007160F9225 | | | | | | |
| 051. Climate change | 1,84E+00 | 1,58E+00 | 1,63E+00 | 9,46E-01 | 1,39E+00 | 1,15E+00 |
| 052. Climate change - Fossil | 1,81E+00 | 1,58E+00 | 6,04E+00 | 9,46E-01 | 1,38E+00 | 1,21E+00 |
| 053. Climate change - Biogenic | 1,69E+00 | 1,58E+00 | 1,53E+00 | 9,46E-01 | 4,88E+00 | 1,50E+00 |
| 054. Climate change - Land use and LU ch | 1,82E+01 | 1,58E+00 | 1,64E+00 | 9,46E-01 | 2,92E+00 | 1,08E+00 |
| 055. Ozone depletion | 2,78E+00 | 1,58E+00 | 1,64E+00 | 9,46E-01 | 2,97E+00 | 1,62E+00 |
| 056. Acidification | 1,15E+00 | 1,58E+00 | 1,75E+00 | 9,46E-01 | 2,08E+00 | 1,01E+00 |
| 057. Eutrophication, freshwater | 1,37E+00 | 1,58E+00 | 1,65E+00 | 9,46E-01 | 3,27E+00 | 1,02E+00 |
| 058. Eutrophication, marine | 1,71E+00 | 1,58E+00 | 1,80E+00 | 9,46E-01 | 1,78E+00 | 1,05E+00 |
| 059. Eutrophication, terrestrial | 1,59E+00 | 1,58E+00 | 1,80E+00 | 9,46E-01 | 1,83E+00 | 1,04E+00 |
| 060. Photochemical ozone formation | 1,93E+00 | 1,58E+00 | 1,75E+00 | 9,46E-01 | 1,88E+00 | 1,07E+00 |
| 061. Resource use, minerals and metals | 1,19E+00 | 1,58E+00 | 1,64E+00 | 9,46E-01 | 5,93E+00 | 6,09E-01 |
| 062. Resource use, fossils | 1,98E+00 | 1,58E+00 | 1,65E+00 | 9,46E-01 | 2,25E+00 | 1,22E+00 |
| 063. Water use | 1,37E+00 | 1,58E+00 | 1,84E+00 | 9,46E-01 | 1,30E+01 | 1,19E+00 |
| 064. Particulate matter | 1,41E+00 | 1,58E+00 | 1,64E+00 | 9,46E-01 | 2,80E+00 | 1,06E+00 |
| 065. Ionising radiation | 2,45E+00 | 1,58E+00 | 1,62E+00 | 9,46E-01 | 2,18E+00 | 1,07E+00 |
| 066. Ecotoxicity, freshwater | 1,29E+00 | 1,58E+00 | 1,68E+00 | 9,46E-01 | 8,82E+00 | 1,00E+00 |
| 067. Human toxicity, cancer | 1,20E+00 | 1,58E+00 | 1,85E+00 | 9,46E-01 | 1,19E+00 | 9,89E-01 |
| 068. Human toxicity, non-cancer | 1,04E+00 | 1,58E+00 | 1,96E+00 | 9,46E-01 | 2,12E+00 | 9,65E-01 |
| 069. Land use | 1,79E+00 | 1,58E+00 | 1,62E+00 | 9,46E-01 | 3,23E+00 | 1,38E+00 |

| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|-------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 15/17 |

| | | | |
|---|----------------------|--|--|
| Registration number: | ABBG-00117-V01.01-EN | Drafting Rules: | PCR-ed4-EN-2021 09 06 |
| Verifier accreditation number: | VH42 | Supplemented by: | PSR-0005-ed2-EN-2016 03 29 |
| Date of issue: | December 2022 | Information and reference documents: | www.pep-ecopassport.org |
| Validity period: | 5 years | Independent verification of the declaration and data, in compliance with ISO 14025: 2010 | |
| Internal <input type="radio"/> | | External <input checked="" type="radio"/> | |
| The PCR review was conducted by a panel of experts chaired by Julie Orgelet (Ddemain) | | | |
| PEP are compliant with XP C08-100-1: 2016 or EN 50693:2019 The components of the present PEP may not be compared with components from any other program. | | | |
| Document in compliance with ISO 14025: 2010 "Environmental labels and declarations. Type III environmental declarations" | | | |



| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|-------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 16/17 |

Environmental Impact Indicator Glossary

Impact indicators

| Indicator | Description | Unit |
|--|---|--------------------------------------|
| Global warming potential (GWP) - total | Indicator of potential global warming caused by emissions to air contributing to the greenhouse effect. The total global warming potential (GWP-total) is the sum of three sub-categories of climate change. GWP-total = GWP-fossil + GWP-biogenic + GWP- land use and land use change | kg CO ₂ eq. |
| Ozone depletion (ODP) | Emissions to air that contribute to the destruction of the stratospheric ozone layer | kg CFC-11 eq. |
| Acidification of soil and water (A) | Acidification of soils and water caused by the release of certain gases to the atmosphere, such as nitrogen oxides and sulphur oxides | H+ eq. |
| Eutrophication (E) | Indicator of the contribution to eutrophication of water by the enrichment of the aquatic ecosystem with nutritional elements, e.g. industrial or domestic effluents, agriculture, etc. This indicator is divided to three: freshwater, marine and terrestrial. | kg P eq., kg N eq., mole N eq. |
| Photochemical ozone creation (POCP) | Indicator of emissions of gases that affect the creation of photochemical ozone in the lower atmosphere (smog) because of the rays of the sun. | kg NMVOC eq. |
| Depletion of abiotic resources – elements (ADPe) | Indicator of the depletion of natural non-fossil resources | kg Sb eq. |
| Depletion of abiotic resources – fossil fuels (ADPf) | The use of non-renewable fossil resources in an unsustainable way (e.g. from material to waste) | MJ (lower heating value) |
| Water Deprivation potential (WDP) | Deprivation-weighted water consumption. Assesses the potential of water deprivation, to either humans or ecosystems, building on the assumption that the less water remaining available per area, the more likely another user will be deprived. | m ³ e depr. |

Resource use indicators

| Indicator | Description | Unit |
|-----------------------------|--|--------------------------|
| Total use of primary energy | Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) + Total use of renewable primary energy re-sources (primary energy and primary energy resources used as raw materials) | MJ (lower heating value) |

| STATUS | SECURITY LEVEL | REGISTRATION NUMBER | REV. | LANG. | PAGE |
|----------|----------------|----------------------|------|-------|-------|
| Approved | Public | ABBG-00117-V01.01-EN | 1 | en | 17/17 |