




Features

- 5 metre IP65 LED reel with pre-attached 3M adhesive type; equipped with 400 LEDs; 8250lm per 5m (1650lm per 1m); 24V; 3000K; CRI90; R9>50; SDCM≤3;Compatible with emergency packs: 0046600, 0046601


Product Overview

Product name	Flex Pro IP65 8250lm 930
Technology	LED
E-number FI	4278339
Fixture luminous flux (lm)	8250
Luminaire efficacy (lm/W)	113
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Photobiological Risk Group	RG1
Total power consumption (W)	72
Electrical protection	Class III
Housing colour	Transparent
IP rating	IP65
IK rating	IK00
Product EAN number	5410288681887
Warranty	5 years

Photometry



Technical drawings



Data table

GENERAL DATA

Product name	Flex Pro IP65 8250lm 930
--------------	--------------------------



Flex Pro IP65 8250lm 930
0068188

Technology	LED
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4278339
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	8250
Luminaire efficacy (lm/W)	113
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	72
Electrical protection	Class III
Control gear required	No
Drive current (mA)	3000
Glow Wire Test (°C)	650
Lamp Energy Label (class)	F

LIFETIME DATA

Lifespan L70 B50	54000
Lifespan L70 B10	54000
Lifespan L80 B10	50000
Lifespan L90 B10	44000

PHYSICAL DATA

Housing colour	Transparent
IP rating	IP65



Flex Pro IP65 8250lm 930
0068188

IK rating	IK00
Nominal Product Length (mm)	5000
Nominal Product Width (mm)	12
Weight (kg)	0.2

PACKAGING

Single packaging type	Carton
Product EAN number	5410288681887
Packaging single width (cm)	22.5
Packaging single depth (cm)	3.0
DUN14 (outer)	15410288681884
Packaging outer length / height (cm)	49.0

SAFETY DATA

Optimal operating condition (°C)	-20-40
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No

Energy label



0068188



72
kWh/1000h



2019/2015



0068188



72
kWh/1000h



2019/2015