

Product Environmental Profile

Aluminium bare cable connectors, ComPacT NSX, for 1 cable 35mm² to 300mm², 630A, set of 3 parts




General information

| | |
|----------------------------|--|
| Reference product | Aluminium bare cable connectors, ComPacT NSX, for 1 cable 35mm² to 300mm², 630A, set of 3 parts - LV432479 |
| Description of the product | These accessories are aluminium bare cable connectors for Compact NSX 400/630 and EasyPact CVS 400/630. These connectors can receive 1 copper or aluminium cables from 35mm² to 300mm². The connectors snap directly on to the device terminals or are secured by clips to terminal extensions. The rated current is up to 630 A. They are sold by set of 3 parts. |
| Description of the range | Single product |
| Functional unit | Other switchgear and controlgear solutions mentioned in the scope (e.g. fuses TC32, all-or-nothing relays TC94, Measuring relays and protection equipment TC95), apply the general rules of PCR and mention in the accompanying report the functional unit, the reference product characteristics, the reference lifetime and the use scenario which are applied consistently with the relevant IEC technical standards. |
| Specifications are: | Connect copper or aluminium cables from 35mm² to 300mm² to the circuit breaker with a rated current up to 630 A during a period of 20 years with a 3 pole system. |

Constituent materials

| | |
|------------------------|---|
| Reference product mass | 365.017 g including the product, its packaging, additional elements and accessories |
|------------------------|---|



| | |
|----------|--------|
| Metals | 85.00% |
| Others | 14.00% |
| Plastics | 1.00% |

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website <https://www.se.com>



Additional environmental information

| | | | |
|-------------|--------------------------|-----|--|
| End Of Life | Recyclability potential: | 84% | The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). |
|-------------|--------------------------|-----|--|



Environmental impacts

| | | | | |
|----------------------------------|---|---|---|---|
| Reference service life time | 20 years | | | |
| Product category | Other equipments - Passive product - continuous operation | | | |
| Life cycle of the product | The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study | | | |
| Electricity consumption | The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligible consumption | | | |
| Installation elements | The product does not require special installation procedure and requires little to no energy to install. The disposal of the packaging materials are accounted for during the installation phase (including transport to disposal). | | | |
| Time representativeness | The collected data are representative of the year 2024 | | | |
| Technological representativeness | The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and Representative of the actual type of technologies used to make the product. | | | |
| Final assembly site | Europe | | | |
| Geographical representativeness | Rest of the World | | | |
| Energy model used | [A1 - A3] | [A5] | [B6] | [C1 - C4] |
| | Electricity Mix; Low voltage; 2020; France, FR | Electricity Mix; Low voltage; 2020; Europe, EU-27 | Electricity Mix; Low voltage; 2020; Europe, EU-27 | Electricity Mix; Low voltage; 2020; Europe, EU-27 |

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.se.com/contact>

| Mandatory Indicators | | Aluminium bare cable connectors, ComPacT NSX, for 1 cable 35mm ² to 300mm ² , 630A, set of 3 parts | | | | | | |
|--|---------------------------|--|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Impact Indicators | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to climate change | kg CO2 eq | 3.57E+00 | 2.74E+00 | 7.10E-02 | 1.30E-02 | 0* | 7.54E-01 | -2.47E+00 |
| Contribution to climate change-fossil | kg CO2 eq | 3.53E+00 | 2.69E+00 | 7.10E-02 | 1.30E-02 | 0* | 7.54E-01 | -2.42E+00 |
| Contribution to climate change-biogenic | kg CO2 eq | 4.70E-02 | 4.70E-02 | 0* | 0* | 0* | 0* | -5.41E-02 |
| Contribution to climate change-land use and land use change | kg CO2 eq | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to ozone depletion | kg CFC-11 eq | 3.02E-07 | 2.97E-07 | 1.09E-10 | 0* | 0* | 4.05E-09 | -3.42E-07 |
| Contribution to acidification | mol H+ eq | 2.08E-02 | 1.79E-02 | 4.50E-04 | 2.09E-06 | 0* | 2.41E-03 | -1.56E-02 |
| Contribution to eutrophication, freshwater | kg (PO4) ³⁻ eq | 9.82E-06 | 9.00E-06 | 2.67E-08 | 0* | 0* | 7.97E-07 | -7.73E-06 |
| Contribution to eutrophication marine | kg N eq | 2.97E-03 | 2.19E-03 | 2.11E-04 | 4.72E-07 | 0* | 5.71E-04 | -1.37E-03 |
| Contribution to eutrophication, terrestrial | mol N eq | 3.25E-02 | 2.39E-02 | 2.31E-03 | 8.79E-06 | 0* | 6.26E-03 | -1.53E-02 |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 1.01E-02 | 7.55E-03 | 5.84E-04 | 1.35E-06 | 0* | 2.01E-03 | -5.15E-03 |
| Contribution to resource use, minerals and metals | kg Sb eq | 2.97E-06 | 3.01E-06 | 2.80E-09 | 0* | 0* | 0* | -2.32E-04 |
| Contribution to resource use, fossils | MJ | 1.06E+02 | 6.30E+01 | 9.91E-01 | 0* | 0* | 4.17E+01 | -4.05E+01 |
| Contribution to water use | m3 eq | 8.16E-01 | 5.95E-01 | 2.70E-04 | 1.14E-03 | 0* | 2.19E-01 | -6.42E-01 |

| Inventory flows Indicators | | Aluminium bare cable connectors, ComPacT NSX, for 1 cable 35mm² to 300mm², 630A, set of 3 parts | | | | | | |
|---|------|---|---------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Inventory flows | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to use of renewable primary energy excluding renewable primary energy used as raw material | MJ | 2.12E+00 | 2.12E+00 | 1.32E-03 | 0* | 0* | 5.28E-04 | -1.26E+00 |
| Contribution to use of renewable primary energy resources used as raw material | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to total use of renewable primary energy resources | MJ | 2.12E+00 | 2.12E+00 | 1.32E-03 | 0* | 0* | 5.28E-04 | -1.26E+00 |
| Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material | MJ | 1.03E+02 | 6.00E+01 | 9.91E-01 | 0* | 0* | 4.17E+01 | -4.05E+01 |
| Contribution to use of non renewable primary energy resources used as raw material | MJ | 3.02E+00 | 3.02E+00 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to total use of non-renewable primary energy resources | MJ | 1.06E+02 | 6.30E+01 | 9.91E-01 | 0* | 0* | 4.17E+01 | -4.05E+01 |
| Contribution to use of secondary material | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of non renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to net use of freshwater | m³ | 1.90E-02 | 1.39E-02 | 6.28E-06 | 2.65E-05 | 0* | 5.10E-03 | -1.50E-02 |
| Contribution to hazardous waste disposed | kg | 1.73E-01 | 1.72E-01 | 0* | 0* | 0* | 1.32E-03 | -1.84E+01 |
| Contribution to non hazardous waste disposed | kg | 4.41E+00 | 4.32E+00 | 2.49E-03 | 4.35E-03 | 0* | 7.95E-02 | -3.58E+00 |
| Contribution to radioactive waste disposed | kg | 3.39E-03 | 3.39E-03 | 1.78E-06 | 0* | 0* | 5.65E-06 | -2.64E-03 |
| Contribution to components for reuse | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to materials for recycling | kg | 3.31E-01 | 1.58E-02 | 0* | 0* | 0* | 3.16E-01 | 0.00E+00 |
| Contribution to materials for energy recovery | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to exported energy | MJ | 3.28E-03 | 1.63E-04 | 0* | 0* | 0* | 3.12E-03 | 0.00E+00 |

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 0.00E+00

* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)


| Mandatory Indicators | | Aluminium bare cable connectors, ComPacT NSX, for 1 cable 35mm² to 300mm², 630A, set of 3 parts | | | | | | | |
|--|---------------------------|---|------|------|------|------|------|------|------|
| Impact indicators | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to climate change | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to climate change-fossil | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to climate change-biogenic | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to climate change-land use and land use change | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to ozone depletion | kg CFC-11 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to acidification | mol H+ eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to eutrophication, freshwater | kg (PO4) ³⁻ eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to eutrophication marine | kg N eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to eutrophication, terrestrial | mol N eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to resource use, minerals and metals | kg Sb eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to resource use, fossils | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to water use | m3 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |

| Inventory flows Indicators | | Aluminium bare cable connectors, ComPacT NSX, for 1 cable 35mm² to 300mm², 630A, set of 3 parts | | | | | | | |
|---|------|---|------|------|------|------|------|------|------|
| Inventory flows | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to use of renewable primary energy excluding renewable primary energy used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of renewable primary energy resources | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of non renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of non-renewable primary energy resources | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of secondary material | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of non renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to net use of freshwater | m³ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to hazardous waste disposed | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to non hazardous waste disposed | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to radioactive waste disposed | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to components for reuse | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for recycling | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for energy recovery | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to exported energy | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.3, database version 2024-07 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

| | | | |
|--|----------------------|-------------------------------------|---|
| Registration number : | SCHN-01317-V01.01-EN | Drafting rules | PCR-4-ed4-EN-2021 09 06 |
| | | Supplemented by | PSR-0005-ed3.1-EN-2023 12 08 |
| Verifier accreditation N° | VH45 | Information and reference documents | www.pep-ecopassport.org |
| Date of issue | 11-2024 | Validity period | 5 years |
| Independent verification of the declaration and data, in compliance with ISO 14025 : 2006 | | | |
| Internal External X | | | |
| The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain) | | | |
| PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022 | | | |
| The components of the present PEP may not be compared with components from any other program. | | | |
| Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations" | | | |
| | | |  |

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.se.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

SCHN-01317-V01.01-EN

©2024 - Schneider Electric – All rights reserved

11-2024