## Threefold faceplate with 71 mm centre-to-centre distance Niko Pure steel champagne

## 166-76700



Threefold faceplate with 71 mm centre-to-centre distance from the range Niko Pure. Finishing colour faceplate: Niko Pure steel champagne

## **Technical data**

Threefold faceplate with 71 mm centre-to-centre distance Niko Pure steel champagne.



- Threefold faceplate for three switches.
- Colour: steel champagne (approximately NCS S 4005 Y20R, RAL 080 70 10)
- Frame composition: It consists of an upper frame and lower frame that are mechanically interconnected.
- Material upperframe: The upperframe is made of steel.
- Varnish upperframe: The upperframe is enamelled champagne.
- Material lower frame: white polycarbonate (PC) + acrylic-styrene-acrylate (ASA), champagne coated
- Frame thickness: The upper frame is 2 mm thick and the lower fame 6 mm.
- Centre-to-centre distance: 71 mm
- Surface-mounting height: max. 8.5 mm
- Fire safety
  - self-extinguishing: complies with a filament test of 650°C
  - halogen-free
- Impact resistance: The combination of a mechanism, a central plate and a faceplate has an impact-resistance of IKO6
- Dimensions (HxWxD): 83 x 225 x 8.9 mm
- Marking: CE

## $\epsilon$