

Productinformatieblad

Specificaties



Web viewer licentie, EcoStruxure Operator Terminal Expert, versie 3.x, team, 10 station, permanent, runtime, add on

HMIWRT010A

EAN Code: 3606487186618

Hoofd

range of product	Ecostruxure operator terminal Expert
product of component type	Licentie
formaat	Digitaal
type software	Opklikbaar
type licentie	Licentie vergrendeld knooppunt
variant	Runtime
softwareversie	V3.5 SP1
Operating system requirement	Windows 10 64 bit
systeemvereisten	8 GB RAM 30 GB ruimte op harde schijf
taal	Engels Italiaans Chinees Spaans Frans Duits Portugees Koreaans

Complementair

Licentiecategorie	Eeuwigdurend
-------------------	--------------

De weergegeven prijs is de adviesprijs in euro excl. BTW. Deze kan onderhevig zijn aan korting. Neem contact op met uw lokale distributeur of detailhandel voor de daadwerkelijke prijs

protocol communicatiepoort	<p>CANopen slave Couzet automatisering millenium 3 FBD Emerson industriële automatisering Modbus SIO master Emerson industriële automatisering Modbus TCP master Bedieningstechnieken Modbus SIO master Bedieningstechnieken Modbus TCP master Emerson Process Management ROC Plus Ethernet Emerson Process Management ROC SIO HTTP IPsec Mitsubishi A Series Ethernet Mitsubishi FX series CPU direct Mitsubishi FX series Ethernet Mitsubishi iQ-R/F Series Ethernet SLMP client Mitsubishi Q series CPU direct Mitsubishi Q series QnU CPU Ethernet Mitsubishi Q/QnA series serial Modbus-organisatie Modbus SIO ASCII master Modbus-organisatie Modbus SIO master Modbus-organisatie Modbus SIO slave Modbus-organisatie Modbus TCP master Modbus-organisatie Modbus TCP slave Omron CS/CJ/CP Series host link Omron CS/CJ/CP/NX Series Ethernet Omron CS/CJ/NJ/NX Series Ethernet/IP Profibus DP slave Rockwell Automation Ethernet/IP Rockwell Automation DH485 Schneider Electric Modbus SIO master Schneider Electric Modbus TCP master Schneider Electric Modbus TCP master via USB Schneider Electric Machine expert netwerk Schneider Electric PacDrive Schneider Electric Uni-Telway Schneider Electric Zelio Logic Siemens Simatic S7 Ethernet Siemens Simatic S7 MPI direct Siemens TIA portal Ethernet webstopcontact Rockwell Automation DF1 OPC UA Foundation OPC UA server</p>
vorige software-versie	V3,5
softwarefunctie	<p>Web viewer Alarmen en events Blocky-script Omvormers Import-export met CSV, tabblad en periodescheidingsteken Logbestand van gegevens en activiteiten Meertalige ontwikkeling Meertalige tabellen Objectbinding en eigenschappen Doelbinding en eigenschappen Recepten Schermen (inhoud en mappen) Beveiliging (niveaus, project, gebruikers) Systeemtoetsenbord Tekstscript Kleurthema's Variabele (arrays, binding, eigenschappen, structuren) OPC UA server</p>
compatibiliteit product	Windows-compatibele PC
bereik compatibiliteit	<p>Harmony GTU Harmony GTUX Harmony ST6 Harmony STM6 Harmony STO7 Harmony iPC</p>
Hosting optie	Op apparaat
Licentie grootte	Team (10 stations)
Processor requirement	<p>Intel core i3 8e generatie Intel core i5 8e generatie</p>

resolutie display	320 x 240 pixels HVGA minimum 3840 x 2160 pixels 4K UHD maximum
-------------------	--

contractuele waarborg


Garantie (in maanden)	18
-----------------------	----


Offer Marketing Illustration


Product benefits / Features


Features


EcoStruxure™ Operator Terminal Expert





- 

Create highly responsive screens with ease
- 

OPC-UA with state-of-the-art encryption to ensure data protection
- 

Live antialiasing and vector graphics promote clear design and scalability
- 

HTML5 web page operation with encrypted remote access using EcoStruxure™ Secure Connect
- 

Gestures and ready-made navigation
- 

Remote visualization on PC or Tablet / Smartphone with Web Viewer features

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

EcoStruxure™ Operator Terminal Expert

