


# Data Sheet | Item Number: 706-4769/201-200

System cable; for Rockwell Compact Logix; 8 digital outputs for higher voltages;  
Length: 2 m; Conductor cross-section: 0.14 mm<sup>2</sup>

<https://www.wago.com/706-4769/201-200>



Color coding acc. to DIN VDE 47100	Connector WAGO 231 (JA)		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	OUT0.0	2	L0
Brown	2	OUT0.1	3	L1
Green	3	OUT0.2	4	L2
Yellow	4	OUT0.3	5	L3
Grey	5	OUT0.4	8	L4
Pink	6	OUT0.5	7	L5
Blue	7	OUT0.6	10	L6
Red	8	OUT0.7	9	L7
Black	9	L/+	1+6	Vac1 /Vac2
Violet	10	nc	nc	nc
Grey-Pink	11	nc	nc	nc
Red-Blue	12	nc	nc	nc

Similar to illustration

## Notes

Note	If less than 3 channels are used simultaneously, the maximum current per conductor is 2 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L. If more than 3 channels are used simultaneously, the maximum current per conductor is 0.75 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L.
------	--

## Electrical data

Inputs/outputs	8 digital outputs; for higher voltages
Operating voltage	≤ 250 VAC/VDC
Current per wire (max.)	0.75 A

## Compatibility

Rockwell	
Rockwell Compact Logix	1769 - OA8 1769 - OW8

## Connection Data

Cable type	LiYY	<b>Connection 1</b>	
Color code	per DIN VDE 47100	Pluggable connector	WAGO 231 Series
		Pole number 1	10
		Connection type	System
		Wire cross-section	0.34 mm <sup>2</sup>

Connection 2	
Connector	Rockwell RTBN10
Pole number	10
Connection type	System
Wire cross-section	0.34 mm <sup>2</sup>

Physical data	
Cable length	2 m

Material data	
Fire load	0 MJ
Weight	1.1 g

Environmental requirements	
Ambient temperature (operation)	-20 ... +50 °C

Commercial data	
PU (SPU)	1 pcs
Packaging type	Box
GTIN	4055143224222

Product Classification	
UNSPSC	26121629
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

## Downloads

### Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 706-4769/201-200	<a href="#">↓</a>

## Documentation

### System Description

WAGO System Wiring,  
Selection Guide

pdf  
533.15 KB

