

CU-REGC-230V: Lcd Control Thermostat 230V



Commercial information

LCD control thermostat, heating/cooling + clock program

Basic unit dimensions

Height	87 mm
Length	86 mm
Width	27 mm
Net weight	0.120 kg

Certificates

Applications

Heating, Cooling, Underfloor Heating

Solutions

Underfloor heating, Building installations, Industry, Utility

Technical characteristics

Regulation type on/off	✘	Measuring range	0 40 Degrees celsius
Regulation type modulating	✓	Number of heater outputs	1
Communications protocol	Brand-dependent	Number of cooler outputs	1
Type of power supply	230 V	Differential value	-2 2 Kelvin
Connection	3-/4-wire	Number of switching programmes	4
With receiver	✘	Max. contact voltage	230 Volt
External sensor	✘	Max. contact load	1 Ampere
With thermal feedback	✘	Width	27 Millimetre
Control characteristic	Other	Depth	86 Millimetre
Suitable for heating	✓	Height	87 Millimetre
Suitable for heating	✓	Standby power consumption (solstandby)	2 Watt
Suitable for cooling	✓		
Adjustable differential	✓		
Selector switch for heating and heating with hot water	✘		
Sensor/feeler type	Resistance sensor		
Temperature readable	✓		
Relative humidity (RH) readable	✘		
With display	✓		
Type of clock	Week clock		
Clock model	Digital		
Overtime switch	✘		
Optimisation	✘		
With tap water circuit	✘		
Operation	Button		
Weather-dependent control system	✘		
Contact type	Normally open contact (NO)		
Degree of protection (IP)	IP20		
Degree of protection (NEMA)	2		
Explosion-proof	✓		
Colour	White		
Compatible with Apple HomeKit	✘		
Compatible with Google Assistant	✘		
Compatible with Amazon Alexa	✘		
IFTTT support available	✘		