



# Data Sheet | Item Number: 706-3340/403-200

System cable; for Schneider Modicon M340; 8 analog inputs (voltage); Length: 2 m;

Conductor cross-section: 0.25 mm<sup>2</sup>

<https://www.wago.com/706-3340/403-200>



Similar to illustration



Color coding acc. to DIN VDE 47100	25 poles Sub-D connector		PLC connector	
	Pin number	Wiring		Pin number
White	1	INOUT0.0	3	V00
Brown	2	INOUT0.1	2	Com0
Green	3	INOUT0.2	4	V11
Yellow	4	INOUT0.3	5	Com1
Grey	5	INOUT0.4	9	V12
Pink	6	INOUT0.5	8	Com2
Blue	7	INOUT0.6	10	V13
Red	8	INOUT0.7	11	Com3
Black	9	INOUT1.0	17	V14
Violet	10	INOUT1.1	16	Com4
Grey-Pink	11	INOUT1.2	18	V15
Red-Blue	12	INOUT1.3	19	Com5
White-Green	13	INOUT1.4	23	V16
Brown-Green	14	INOUT1.5	22	Com6
White-Yellow	15	INOUT1.6	24	V17
Yellow-Brown	16	INOUT1.7	25	Com7
White-Gray	17	+24V	nc	nc
Grey-Brown	18	0V	nc	nc
White-Pink	19	+24V	nc	nc
Pink-Brown	20	0V	nc	nc
White-Blue	21	nc	nc	nc
Brown-Blue	22	nc	nc	nc
White-Red	23	nc	nc	nc
Brown-Red	24	1	nc	nc
White-Black	25	2	nc	nc
Shield		Connected to Sub-D		

## Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

## Electrical data

Inputs/outputs	8 analog inputs; voltage
Operating voltage	≤ 35 VAC/VDC
Current per wire (max.)	2 A

## Compatibility

### Schneider

Schneider Modicon M340	BMX AMI 0800
	BMX AMI 0810

### Connection Data

Cable type	LiYCY
Color code	per DIN VDE 47100

### Connection 1

Pluggable connector	D-subminiature female connector
Pole number 1	25
Connection type	System
Wire cross-section	0.25 mm <sup>2</sup>

### Connection 2

Connector	Schneider BMXFTB2020
Pole number	28
Connection type	System

### Physical data

Cable length	2 m
--------------	-----

### Material data

Fire load	0 MJ
Weight	1.1 g

### Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

### Commercial data

PU (SPU)	1 pcs
Packaging type	Box
Country of origin	FR
GTIN	4050821315612
Customs tariff number	85444290900

### Product Classification

UNSPSC	26121604
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Environmental Product Compliance

#### Compliance Search

Environmental Product  
Compliance  
706-3340/403-200



## Documentation

### System Description

WAGO System Wiring,  
Selection Guide

pdf  
533.15 KB

