

# Data Sheet | Item Number: 706-3057/601-300

System cable; for Schneider TSX; 4 analog inputs or outputs; Length: 3 m; Conductor cross-section: 0.25 mm<sup>2</sup>

<https://www.wago.com/706-3057/601-300>



Similar to illustration



Color coding acc. to DIN VDE 47100	15 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	0+	3	0+
Brown	2	0-	2	0-
Green	3	1+	8	1+
Yellow	4	1-	7	1-
Grey	5	2+	13	2+
Pink	6	2-	12	2-
Blue	7	3+	18	3+
Red	8	3-	17	3-
Black	9	nc	nc	nc
Violet	10	nc	nc	nc
Grey-Pink	11	nc	nc	nc
Red-Blue	12	nc	nc	nc
White-Green	13	nc	nc	nc
Brown-Green	14	nc	nc	nc
White-Yellow	15	nc	nc	nc
Shield	Connected to Sub-D			

## Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

## Electrical data

Inputs/outputs	4 analog inputs or outputs
Operating voltage	≤ 35 VAC/VDC
Current per wire (max.)	2 A

## Compatibility

### Schneider

Schneider TSX	TSX AEY 414 TSX ASY 410
---------------	----------------------------

### Connection Data

Cable type	LiYCY
Color code	per DIN VDE 47100

### Connection 1

Pluggable connector	D-subminiature female connector
Pole number 1	15
Connection type	System
Wire cross-section	0.25 mm <sup>2</sup>

### Connection 2

Connector	Schneider TSXBLY01
Pole number	20
Connection type	System
Wire cross-section	0.25 mm <sup>2</sup>

### Physical data

Cable length	3 m
--------------	-----

### Material data

Fire load	0 MJ
Weight	348 g

### Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

### Commercial data

PU (SPU)	1 pcs
Packaging type	Box
Country of origin	FR
GTIN	4055143037990

### Product Classification

UNSPSC	26121629
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Environmental Product Compliance

#### Compliance Search

Environmental Product  
Compliance  
706-3057/601-300



## Documentation

### System Description

WAGO System Wiring,  
Selection Guide

pdf  
533.15 KB

