

Data Sheet | Item Number: 706-3057/600-200

System cable; for Schneider TSX; 8 analog inputs or outputs; Length: 2 m; Conductor cross-section: 0.25 mm²

<https://www.wago.com/706-3057/600-200>



Similar to illustration



Color coding acc. to DIN VDE 47100	25 poles female Sub-D connector		AC-coupled 25 poles male Sub-D connector
		Pin number	
White		1	1
Brown		2	2
Green		3	3
Yellow		4	4
Grey		5	5
Pink		6	6
Blue		7	7
Red		8	8
Black		9	9
Violet		10	10
Grey-Pink		11	11
Red-Blue		12	12
White-Green		13	13
Brown-Green		14	14
White-Yellow		15	15
Yellow-Brown		16	16
White-Gray		17	17
Grey-Brown		18	18
White-Pink		19	19
Pink-Brown		20	20
White-Blue		21	21
Brown-Blue		22	22
White-Red		23	23
Brown-Red		24	24
White-Black		25	25
Shield			Connected to Sub-D

Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Electrical data

Inputs/outputs 8 digital inputs or outputs
 Operating voltage ≤ 35 VAC/VDC
 Current per wire (max.) 2 A

Compatibility

Schneider

Schneider TSX
 TSX AEY 420
 TSX AEY 800
 TSX AEY 810
 TSX AEY 1600
 TSX ASY 800

Connection Data

Cable type	LiYCY
Color code	per DIN VDE 47100

Connection 1

Pluggable connector	D-subminiature female connector
Pole number 1	25
Connection type	System
Wire cross-section	0.25 mm ²

Connection 2

Connector	D-subminiature male connector
Pole number	25
Connection type	System
Wire cross-section	0.25 mm ²

Physical data

Cable length	2 m
--------------	-----

Material data

Fire load	0 MJ
Weight	406 g

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

PU (SPU)	1 pcs
Packaging type	Box
GTIN	4045454873806
Customs tariff number	85444290900

Product Classification

UNSPSC	26121604
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance
706-3057/600-200



Documentation

System Description

WAGO System Wiring,
Selection Guide

pdf
533.15 KB

