



Color: ■ black

#### Locking system WINSTA® MINI

The locking system from the WINSTA® MINI product line guarantees you the greatest flexibility in electrical installation. An extensive range of accessories complements the WINSTA® product line from WAGO. WINSTA® MINI follows the trend towards miniaturisation. Our smallest pluggable connection system is very good for lights, for instance, since due to LED technology, these offer less and less space for the connection technology.

WINSTA® MINI solutions for your electrical installation – protected against mismatching and maintenance-free

The WINSTA® Pluggable Connection System is ideally tailored to the strict requirements of building installation. It makes electrical installation pluggable, and thus more efficient, even more reliable, and error-free. Use of this pre-assembled system decreases time spent on assembly and installation errors at the construction site. Choose durability and quality – with protection against mismatching from WAGO makes the installation of electrical components significantly easier.

- easy tool-free operation, a wide range of coding options
- fast, secure installation

### Connection data

#### Connection 1

Actuation type	Finger-operated lever
----------------	-----------------------

### Mechanical data

Suitable	for flying leads; manually operated
----------	-------------------------------------

### Material data

#### Note (material data)

[Information on material specifications can be found here](https://www.wago.com/us/material-specifications)

Color	black
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.019 MJ
Weight	0.6 g

### Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

### Commercial data

eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (50) pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143356930
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Approvals / Certificates

#### Approvals for marine applications



Approval	Standard	Certificate Name
LR Lloyds Register	EN 61535	08/20047 (E2)

### Downloads

#### Environmental Product Compliance



##### Compliance Search

Environmental Product  
Compliance 890-101



### Documentation

#### Bid Text

890-101	19.02.2019	xml 2.62 KB	
890-101	13.04.2017	doc 21.50 KB	

CAD/CAE-Data

CAD data

2D/3D Models 890-101



CAE data

ZUKEN Portal 890-101

