


Data Sheet | Item Number: 706-2400/404-200

System cable; for Siemens S7-400; 8 analog inputs (current); Length: 2 m; Conductor cross-section: 0.25 mm²

<https://www.wago.com/706-2400/404-200>



Similar to illustration



Color coding acc. to DIN VDE 47100	25 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	IN0+	8	M00+
Brown	2	IN0-	9	M0-
Green	3	IN1+	13	M11+
Yellow	4	IN1-	14	M1-
Grey	5	IN2+	18	M2+
Pink	6	IN2-	19	M2-
Blue	7	IN3+	23	M3+
Red	8	IN3-	24	M3-
Black	9	IN4+	30	M4+
Violet	10	IN4-	31	M4-
Grey-Pink	11	IN5+	35	M5+
Red-Blue	12	IN5-	36	M5-
White-Green	13	IN6+	40	M6+
Brown-Green	14	IN6-	41	M6-
White-Yellow	15	IN7+	45	M7+
Yellow-Brown	16	IN7-	46	M7-
White-Gray	17	nc	nc	nc
Grey-Brown	18	nc	nc	nc
White-Pink	19	nc	nc	nc
Pink-Brown	20	nc	nc	nc
White-Blue	21	nc	nc	nc
Brown-Blue	22	nc	nc	nc
White-Red	23	nc	nc	nc
Brown-Red	24	nc	nc	nc
White-Black	25	nc	nc	nc
Shield		Connected to Sub-D		

Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Electrical data

Inputs/outputs	8 analog inputs; current
Operating voltage	≤ 35 VAC/VDC
Current per wire (max.)	2 A

Compatibility

Siemens

Siemens S7-400	6ES7 431-7KF00-0AB0
----------------	---------------------

Connection Data

Cable type	LiYCY
Color code	per DIN VDE 47100

Connection 1

Pluggable connector	D-subminiature female connector
Pole number 1	25
Connection type	System
Wire cross-section	0.25 mm ²

Connection 2

Connector	Siemens 6ES7-492-1BL00-0AA0
Pole number	48
Connection type	System
Wire cross-section	0.25 mm ²

Physical data

Cable length	2 m
--------------	-----

Material data

Fire load	0 MJ
Weight	1.1 g

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

PU (SPU)	1 pcs
Packaging type	Box
GTIN	4055143037631

Product Classification

UNSPSC	26121604
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance
706-2400/404-200



Documentation

System Description

WAGO System Wiring,
Selection Guide

pdf
533.15 KB

