

GLOBAL TRAC PRO REC 1M BLACK XTSF4100-2



Features


- Global Trac Pro - 3 Circuit Track, circuits can be controlled individually, aluminium body, suitable for recessed mounting, 1000 x 56 x 32.5 mm (L x W x H), 0.847 kg, black (RAL 9005).

Product Overview

Product name	GLOBAL TRAC PRO REC 1M BLACK
Technology	Accessory
Housing	Aluminium
E-number SE	7402255
Light colour	N/A
Housing colour	RAL 9005 - Jet black
IP rating	IP20
IK rating	IK02
Product EAN number	6410014506513
Warranty	5 years

GLOBAL TRAC PRO REC 1M BLACK XTSF4100-2

Technical drawings



Data table

GENERAL DATA

Product name	GLOBAL TRAC PRO REC 1M BLACK
Technology	Accessory
Housing	Aluminium
Operating temperature range (°C)	0°C...+25°C
E-number SE	7402255
Warranty	5 years

OPTICAL DATA

Light colour	N/A
--------------	-----

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

GLOBAL TRAC PRO REC 1M BLACK XTSF4100-2

Housing colour	RAL 9005 - Jet black
IP rating	IP20
IK rating	IK02
Nominal Product Length (mm)	1000
Nominal Product Width (mm)	56
Weight (kg)	1.097
Recessed Depth (mm)	30

PACKAGING

Single packaging type	Carton
Product EAN number	6410014506513
Packaging single width (cm)	5.6
Packaging single depth (cm)	3.3
DUN14 (outer)	06410014506513
Packaging outer length / height (cm)	100.27

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No