


Product End of Life Instructions

NSX250 DC EP 250A 4P TMD



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	CAPUCHON DE BILAME / PA	1.3	plastic parts with brominated flame retardants
To be depolluted	2	OVERMOLDED CONNECTING SCREW NSX CL10.9 / PA	3.49	plastic parts with brominated flame retardants
To be depolluted	3	PERCUTEUR DECLENCHEUR / PA	1.6	plastic parts with brominated flame retardants
To be depolluted	4	LEVIER SD / PC	1.83	plastic parts with brominated flame retardants
To be depolluted	5	SUPPORT PRISES AVANT CEI / PBT	38.63	plastic parts with brominated flame retardants
To be depolluted	6	POUSSOIR TELECOMMANDE/ PA	1.83	plastic parts with brominated flame retardants
To be depolluted	7	ENTRETOISE 4EME POLE / PBT	11.95	plastic parts with brominated flame retardants
To be depolluted	8	BOUCHON / PBT	1.18	plastic parts with brominated flame retardants

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The NSX250 DC1500V 250A 4P TMD is designed to provide protection against overloads and short-circuits for industrial and commercial electrical distribution systems with rated operational voltage of 1500 V DC and rated current of 250A.
Product reference	C25F4TM250D3
Additional similar product references	C25F4TM250D3
Total representative product mass	2600 g
Representative product dimensions	161 mm x 140 mm x 86 mm
Date of information release	06/2021


Additional information
Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential**57%**

Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €
www.schneider-electric.com

Published by Schneider Electric

ENVEOLI2106001_V1

© 2019 - Schneider Electric – All rights reserved

06/2021