

Concord

Lytespan 3 3-circuit - Standard Track - 2m - White
2020762



Features

- Lytespan 3 - 3 Circuit Track, compact venturi trunk profile, extruded aluminium body, suitable for surface mounting and suspending, (LxWxH) 2000x37x45mm, 2.30kg, White RAL 9016, Class 1, maximum installed load: 3x3680W (11040W), fuse: 3x16A, supply cable: 5 x 1.5mm², 400 VAC supply




Product Overview

Product name	Lytespan 3 3-circuit - Standard Track - 2m - White
Technology	Accessory
Housing	Aluminium
Mount	Ceiling surface mounting, Suspended
Environment	Internal
E-number FI	4270093
E-number SE	7437002
Electrical protection	Class I
Housing colour	White
Product EAN number	5025768207626
Warranty	5 years

Concord

Lytespan 3 3-circuit - Standard Track - 2m - White
2020762

Technical drawings



Data table

GENERAL DATA

Product name	Lytespan 3 3-circuit - Standard Track - 2m - White
Technology	Accessory
Housing	Aluminium
Mount	Ceiling surface mounting, Suspended
Environment	Internal
E-number FI	4270093
E-number SE	7437002
Warranty	5 years

OPTICAL DATA

Adjustable chromaticity	N
-------------------------	---

ELECTRICAL DATA

Electrical protection	Class I
Control gear required	No

Concord

Lytespan 3 3-circuit - Standard Track - 2m - White
2020762

PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	2000
Nominal Product Width (mm)	37
Weight (kg)	2.3

PACKAGING

Single packaging type	Carton
Product EAN number	5025768207626
Packaging single width (cm)	6.9
Packaging single depth (cm)	6.9
Packaging outer length / height (cm)	211.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No