

# Data Sheet | Item Number: 706-2300/404-200

System cable; for Siemens S7-300; 8 analog inputs (current), var. 1; Length: 2 m;

Conductor cross-section: 0.25 mm<sup>2</sup>

<https://www.wago.com/706-2300/404-200>



Color coding acc. to DIN VDE 47100	25 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	IN0+	2-22	CH0+
Brown	2	IN0-	3-23	CH0-
Green	3	IN1+	4-24	CH1+
Yellow	4	IN1-	5-25	CH1-
Grey	5	IN2+	6-26	CH2+
Pink	6	IN2-	7-27	CH2-
Blue	7	IN3+	8-28	CH3+
Red	8	IN3-	9-29	CH3-
Black	9	IN4+	12+32	CH4+
Violet	10	IN4-	13+33	CH4-
Grey-Pink	11	IN5+	14+34	CH5+
Red-Blue	12	IN5-	15+35	CH5-
White-Green	13	IN6+	16+36	CH6+
Brown-Green	14	IN6-	17+37	CH6-
White-Yellow	15	IN7+	18+38	CH7+
Yellow-Brown	16	IN7-	19+39	CH7-
White-Grey	17	nc	nc	nc
Grey-Brown	18	nc	nc	nc
White-Pink	19	nc	nc	nc
Pink-Brown	20	nc	nc	nc
White-Blue	21	nc	nc	nc
Brown-Blue	22	nc	nc	nc
White-Red	23	nc	nc	nc
Brown-Red	24	nc	nc	nc
White-Black	25	nc	nc	nc
Shield			Connected to Sub-D	

Similar to illustration

## Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

## Electrical data

Inputs/outputs	8 analog inputs; current
Operating voltage	≤ 35 VAC/VDC
Current per wire (max.)	2 A

## Compatibility

### Siemens

Siemens S7-300	6ES7 331-7NF00-0AB0
----------------	---------------------

## Connection Data

Cable type	LiYCY
Color code	per DIN VDE 47100

### Connection 1

Pluggable connector	D-subminiature female connector
Pole number 1	25
Connection type	System
Wire cross-section	0.25 mm <sup>2</sup>

### Connection 2

Connector	Siemens 6ES7-392-1BM00-0AA0
Pole number	20
Connection type	System
Wire cross-section	0.25 mm <sup>2</sup>

**Physical data**

Cable length	2 m
--------------	-----

**Material data**

Fire load	0 MJ
Weight	320 g

**Environmental requirements**

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

**Commercial data**

Product Group	30 (WAGO France)
PU (SPU)	1 pcs
Packaging type	not specified
Country of origin	FR
GTIN	4045454881702
Customs tariff number	85444290900

**Product Classification**

UNSPSC	26121629
eCl@ss 10.0	27-24-22-20
eCl@ss 9.0	27-24-22-20
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Downloads**

**Environmental Product Compliance**

Compliance Search	
Environmental Product Compliance 706-2300/404-200	<a href="#">↓</a>

**Documentation**

Bid Text			
706-2300/404-200	19.02.2019	xml 3.14 KB	<a href="#">↓</a>
706-2300/404-200	09.02.2015	doc 25.50 KB	<a href="#">↓</a>

## CAD/CAE-Data

### CAE data

WSCAD Universe  
706-2300/404-200



## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Interface module

##### 1.1.1.1 Interface module



##### Item No.: 704-8013

Interface module for system wiring; with solder pin; Male connector; 25-pole; 8-channel analog input or output; 4-wire; PCB terminal blocks; in mounting carrier