


# Data Sheet | Item Number: 706-2300/500-200

System cable; for Siemens S7-300; 4 analog outputs (current); Length: 2 m; Conductor cross-section: 0.25 mm<sup>2</sup>

<https://www.wago.com/706-2300/500-200>



Color coding acc. to DIN VDE 47100	15 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	0+	3	QI0
Brown	2	0-	6	Mana
Green	3	1+	7	QI1
Yellow	4	1-	10	Mana
Grey	5	2+	11	QI2
Pink	6	2-	14	Mana
Blue	7	3+	15	QI3
Red	8	3-	18	Mana
Black	9	+(24V)	1	L+
Violet	10	-(0V)	20	M
Grey-Pink	11	nc	nc	nc
Red-Blue	12	nc	nc	nc
White-Green	13	nc	nc	nc
Brown-Green	14	nc	nc	nc
White-Yellow	15	nc	nc	nc
Shield		Connected to Sub-D		

Similar to illustration

## Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

## Electrical data

Inputs/outputs	4 analog outputs; current
Operating voltage	≤ 35 VAC/VDC
Current per wire (max.)	2 A

## Compatibility

### Siemens

Siemens S7-300	6ES7 332-5HB01-0AB0 6ES7 332-5HB81-0AB0 6ES7 332-5HD01-0AB0 6ES7 332-7ND02-0AB0
----------------	--

## Connection Data

Cable type	LiCY	<b>Connection 1</b>	
Color code	per DIN VDE 47100	Pluggable connector	D-subminiature female connector
		Pole number 1	15
		Connection type	System
		Wire cross-section	0.25 mm <sup>2</sup>

### Connection 2

Connector	Siemens 6ES7-392-1BJ00-0AA0
Pole number	20
Connection type	System
Wire cross-section	0.25 mm <sup>2</sup>

### Physical data

Cable length	2 m
--------------	-----

### Material data

Fire load	0 MJ
Weight	218 g

### Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

### Commercial data

Product Group	30 (WAGO France)
PU (SPU)	1 pcs
Packaging type	not specified
Country of origin	FR
GTIN	4045454873981
Customs tariff number	85444290900

### Product Classification

UNSPSC	26121604
eCl@ss 10.0	27-24-22-20
eCl@ss 9.0	27-24-22-20
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Downloads

#### Environmental Product Compliance

##### Compliance Search

Environmental Product  
Compliance  
706-2300/500-200



## Documentation

### Bid Text

706-2300/500-200	19.02.2019	xml 3.13 KB	↓
706-2300/500-200	09.02.2015	doc 26.00 KB	↓

## CAD/CAE-Data

### CAE data

WSCAD Universe 706-2300/500-200	↓
------------------------------------	---

## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Interface module

##### 1.1.1.1 Interface module



**Item No.: [704-8012](#)**

Interface module for system wiring; with solder pin; Male connector; 15-pole; 4-channel analog input or output; 4-wire; PCB terminal blocks; in mounting carrier