

## Data Sheet | Item Number: 890-131

Locking lever; for flying leads; for tool operation; white

<https://www.wago.com/890-131>



Color: ■ white

### Locking system WINSTA® MINI

The locking system from the WINSTA® MINI product line guarantees you the greatest possible flexibility in electrical installation. With WAGO, you can enjoy the advantages of a large selection of accessories for the WINSTA® product line. Particularly where space is tight, our smallest pluggable connection system, WINSTA® MINI, consistently displays its advantageous properties. It saves space, and, thanks to Push-in CAGE CLAMP® spring pressure connection technology, it additionally saves time, since the connection is low-maintenance and can be performed without screw connections.

WINSTA® MINI solutions for your electrical installation – maintenance-free

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This significantly reduces the need for servicing and lowers costs. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with WINSTA® MINI accessories from WAGO.

- compact design for conductors with a cross-section up to 1.5 mm<sup>2</sup>
- fast, secure installation

### Connection data

#### Connection 1

Actuation type	Operating tool
----------------	----------------

### Mechanical data

Suitable	for flying leads; tool operated
----------	---------------------------------

### Material data

Note (material data)

[Information on material specifications can be found here](https://www.wago.com/us/material-specifications)

Color	white
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.014 MJ
Weight	0.4 g

### Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

### Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (50) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454232993
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Approvals / Certificates

#### Approvals for marine applications



Approval	Standard	Certificate Name
LR Lloyds Register	EN 61535	08/20047 (E2)

### Downloads

#### Environmental Product Compliance



##### Compliance Search

Environmental Product  
Compliance 890-131





### Documentation

#### Bid Text

890-131	20.11.2014	doc 21.50 KB	
890-131	19.02.2019	xml 2.62 KB	

CAD/CAE-Data

CAD data	CAE data
2D/3D Models 890-131 	WSCAD Universe 890-131 
	ZUKEN Portal 890-131 