



Color: ■ silver-colored

Mounting accessories WINSTA® IDC

Choose reliable accuracy for the installation at your construction site: The mounting accessories from the WINSTA® IDC product line. You can rely on the level of quality of WINSTA® components from WAGO for your electrical installation accessories too.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with with protection against mismatching from WAGO.

- saves time, since no wiring is required at the construction site
- fast, secure installation

Notes

General safety information

NOTICE: Observe installation and safety instructions!

- Nur von Elektrofachkraft oder einer für die Tätigkeit elektrisch unterwiesenen Person (EUP nach DIN VDE 0105-100) anzuwenden!
- Nicht unter Spannung/Last installieren!
- Nur für bestimmungsgemäßen Gebrauch einsetzen!
- Nationale Vorschriften/Normen/Richtlinien beachten!
- Technische Daten der Produkte beachten!
- Auf die richtige Polbelegung achten!
- Keine beschädigten/verschmutzten Komponenten verwenden!
- Leiterarten, -querschnitte, Abisolierlängen und Leitungsdurchmesser beachten!
- Leiter bis zum Anschlag einführen!
- Nur mit Verriegelungsklinke und Zugentlastung verwenden!
- Originalzubehör verwenden!

To be sold only with installation instructions!

Material data

Note (material data)	Information on material specifications can be found here
Color	silver-colored
Fire load	0.648 MJ
Weight	48 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
PU (SPU)	5 pcs
Packaging type	Box
Country of origin	CH
GTIN	4045454006464
Customs tariff number	74198090990

Product Classification

UNSPSC	39121431
eCl@ss 10.0	27-14-44-32
eCl@ss 9.0	27-14-44-32
ETIM 9.0	EC000441
ETIM 10.0	EC000441
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 895-1604



Documentation

Bid Text

895-1604	19.02.2019	xml 2.60 KB	
895-1604	09.01.2015	doc 22.50 KB	

CAD/CAE-Data

CAE data

WSCAD Universe
895-1604

