



Data Sheet | Item Number: 706-3340/403-700
System cable; for Schneider Modicon M340; 8 analog inputs (voltage); Length: 7 m; Conductor cross-section: 0.25 mm²
<https://www.wago.com/706-3340/403-700>



Similar to illustration



Color coding acc. to DIN VDE 47100	25 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	INOUT0.0	3	V00
Brown	2	INOUT0.1	2	Com0
Green	3	INOUT0.2	4	V01
Yellow	4	INOUT0.3	5	Com1
Grey	5	INOUT0.4	9	V02
Pink	6	INOUT0.5	8	Com2
Blue	7	INOUT0.6	10	V03
Red	8	INOUT0.7	11	Com3
Black	9	INOUT1.0	17	V04
Violet	10	INOUT1.1	16	Com4
Grey-Pink	11	INOUT1.2	18	V05
Red-Blue	12	INOUT1.3	19	Com5
White-Green	13	INOUT1.4	23	V06
Brown-Green	14	INOUT1.5	22	Com6
White-Yellow	15	INOUT1.6	24	V07
White-Brown	16	INOUT1.7	25	Com7
White-Grey	17	+24V	nc	nc
Grey-Brown	18	0V	nc	nc
White-Pink	19	+24V	nc	nc
Pink-Brown	20	0V	nc	nc
White-Blue	21	nc	nc	nc
Brown-Blue	22	nc	nc	nc
White-Red	23	nc	nc	nc
Brown-Red	24	1	nc	nc
White-Black	25	2	nc	nc
Shield		Connected to Sub-D		

Notes	
Note	When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Electrical data	
Inputs/outputs	8 analog inputs; voltage
Operating voltage	≤ 35 VAC/VDC
Current per wire (max.)	2 A

Compatibility	
Schneider	
Schneider Modicon M340	BMX AMI 0800 BMX AMI 0810



Connection Data

Cable type	LIYCY	Connection 1	
Color code	per DIN VDE 47100	Pluggable connector	D-subminiature female connector
		Pole number 1	25
		Connection type	System
		Wire cross-section	0.25 mm²

Connection 2	
Connector	Schneider BMXFTB2020
Pole number	28
Connection type	System

Physical data	
Cable length	7 m

Material data	
Weight	968 g

Environmental requirements	
Ambient temperature (operation)	-20 ... +50 °C

Commercial data	
PU (SPU)	1 pcs
Packaging type	Bag
Country of origin	FR
GTIN	4066966748864
Customs tariff number	85444290900

Product Classification	
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption



Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 706-3340/403-700	