




Features

- INSTAR TREND 75 SW COOL50 WH




Product Overview

| | |
|-----------------------|---------------------------|
| Product name | QR-CB51 50W GU/GX5.3 |
| Technology | Accessory |
| Housing | Aluminium |
| Mount | Ceiling recessed mounting |
| Environment | Interior |
| E-number FI | 4277783 |
| E-number SE | 7472720 |
| Electrical protection | Class III |
| Control gear mounting | Remote |
| Housing colour | White |
| IP rating | IP20 |
| Product EAN number | 8711971785002 |
| Warranty | 2 years |

Lumiance









QR-CB51 50W GU/GX5.3
3078500

Photometry




Lumiance

QR-CB51 50W GU/GX5.3 3078500



Technical drawings



Data table

GENERAL DATA

| | |
|--------------|---------------------------|
| Product name | QR-CB51 50W GU/GX5.3 |
| Technology | Accessory |
| Housing | Aluminium |
| Mount | Ceiling recessed mounting |
| Environment | Interior |
| E-number FI | 4277783 |
| E-number SE | 7472720 |
| Warranty | 2 years |

OPTICAL DATA

| | |
|-------------------------|---|
| Adjustable chromaticity | N |
|-------------------------|---|

ELECTRICAL DATA

| | |
|-----------------------|-----------|
| Electrical protection | Class III |
| Control gear required | No |
| Control gear mounting | Remote |

PHYSICAL DATA

| | |
|----------------|-------|
| Housing colour | White |
| IP rating | IP20 |

Lumiance

QR-CB51 50W GU/GX5.3
3078500

| | |
|-----------------------------|-------|
| Max. Lamp Diameter (mm) - D | 83 |
| Weight (kg) | 0.116 |
| Recessed Depth (mm) | 85 |

PACKAGING

| | |
|--------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 8711971785002 |
| Packaging single width (cm) | 10.1 |
| Packaging single depth (cm) | 7.0 |
| DUN14 (outer) | 18711971785009 |
| Packaging outer length / height (cm) | 23.9 |

SAFETY DATA

| | |
|-------------------------------------|----|
| Special purpose lamp | No |
| Dry applications use only | No |
| Suitable for household illumination | No |