



UFH-BM0606-VN: Ball valve set 1" x 1" with gasket, nickel-plated B+R



Commercial information

Certificates

Applications

Heating, Cooling, Underfloor Heating









Solutions

Building installations, Industry, Underfloor heating, Utility

Technical characteristics

Nominal diameter	1 inch (25)	Max. medium temperature (continuous)	70 Degrees celsius
Connection 1	Internal thread cylindrical BSPP-G (ISO 228-1)	Length of connection 1	25 Millimetre
With coupling connection 1	✘	Length of connection 2	25 Millimetre
Connection 2	External thread conical BSPT-R (ISO 7-1 / EN 10226-1)	Handle/hand wheel height	35 Millimetre
With coupling connection 2	✘		
Surface protection	Nickel-plated		
Operation using hand wheel	✘		
With drain possibility (connection)	✘		
With drain valve	✘		
With position indicator	✘		
Spindle and/or hand wheel rising	✘		
Type approval according to BBR/EKS	✘		

Related products

Product code	GTIN	Description	Image
EK20-2	05414764347335	Henco Nickel plated eurocone Ø20 (3/4" F)	
UFH-0605MDK03	05414764347335	Henco 3- groups man. comp.,adjustable,flow meter,therm.,washer and air vent	
UFH-0605MDK04	05414764347335	Henco 4-groups man. comp.,adjustable,flow meter,therm.,washer and air vent	
UFH-0605MDK05	05414764347335	Henco 5-groups man. comp.,adjustable,flow meter,therm.,washer and air vent	
UFH-0605MDK07	05414764347335	Henco 7-groups man. comp.,adjustable,flow meter,therm.,washer and air vent	
UFH-0605MDK06	05414764347335	Henco 6--groupsman. comp.,adjustable,flow meter,therm.,washer and air vent	
UFH-0605MDK08	05414764347335	Henco 8-groups man. comp.,adjustable,flow meter,therm.,washer and air vent	
UFH-0605MDK09	05414764347335	Henco 9-groups man. comp.,adjustable,flow meter,therm.,washer and air vent	

Product code	GTIN	Description
UFH-0605MDK10	05414764347335	Henco man. comp,flow meter 0-5L,therm.,washer and air vent 10x

Image



UFH-0605MDK11	05414764347335	Henco man. comp,flow meter 0-5L,therm.,washer and air vent 11x
---------------	----------------	--

