Data Sheet | Item Number: 221-941

Jumper; for conductor entry; 2-way; insulated; dark gray

https://www.wago.com/221-941

Color: ■ dark gray

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	400 V
Rated current	41 A

Physical data

Width	12.3 mm / 0.484 inches
Height	10.74 mm / 0.423 inches
Depth	23.9 mm / 0.941 inches
Jumper assignment	1-2

Continued on next page

Mechanical data

Use	with locking

Material data

Note (material data)	Information on material specifications can be found here
Color	dark gray
Insulation material (main housing)	Polyamide (PA66)
Fire load	0 MJ
Weight of insulation material	0.45 g
Weight	2.9 g

Environmental requirements

Continuous operating temperature	-60 … +105 °C

Commercial data

ETIM 9.0	EC000489
ETIM 8.0	EC000489
PU (SPU)	5 pcs
Packaging type	Bag
Country of origin	CN
GTIN	4055144067873
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search
Environmental Product Compliance 221-941

Documentation

Bid Text		
221-941	xml 2.95 KB	
221-941	docx 27.49 KB	

 Continued on next page

CAD/CAE-Data

CAD data

2D/3D Models 221-941

Installation Notes

Commoning



Extending the N and PE (ground) distribution via jumper

Commoning



Insert the jumper without a locking function into open clamping units.

Commoning



Without a locking function:
The jumper without a locking function is plugged into the splicing connectors.

Commoning



Remove the locking mechanism for intentional jumper removal.



Remove the jumper from open clamping units.