


### Features

- Lytespan Trimless Recessed - 3 circuit track + 2 circuit control L1/L2/L3/Neutral/ground 16A/440V + D+/D- 2x1A/50V FELV AC, DALI, DMX, 1-10V etc. compatible, circuits can be controlled individually, aluminum body, suitable for trimless recessed installation, 3000 x 92 x 42.8 mm (L x W x H), black (RAL 9005). Please check compatible adaptor list.

### Product Overview

Product name	LYTESPAN TRIMLESS RECESSED 3M BLACK 9000-3/B-TR
Technology	Accessory
Housing	Aluminium
Mount	Ceiling recessed mounting, Wall recessed
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC000101
Electrical protection	Class I
Housing colour	RAL 9005 - Jet black
Product EAN number	5025768702527
Warranty	5 years

### Technical drawings



# Concord

## LYTESPAN TRIMLESS RECESSED 3M BLACK 9000-3/B-TR 2070252

### Data table

#### GENERAL DATA

Product name	LYTESPAN TRIMLESS RECESSED 3M BLACK 9000-3/B-TR
Technology	Accessory
Accessory type	Electrical
Type of accessory	Track
Housing	Aluminium
Mount	Ceiling recessed mounting, Wall recessed
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC000101
Warranty	5 years

#### ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Electrical protection	Class I
Control gear required	No

#### PHYSICAL DATA

Housing colour	RAL 9005 - Jet black
Nominal Product Length (mm)	3000
Nominal Product Width (mm)	92
Nominal Product Height (mm)	42.8
Weight (kg)	5.3

#### PACKAGING

Product EAN number	5025768702527
Packaging single length / height (cm)	306.0
Packaging single width (cm)	6.2
Packaging single depth (cm)	6.2

# Concord

## LYTESPAN TRIMLESS RECESSED 3M BLACK 9000-3/B-TR 2070252

---

DUN14 (outer)	05025768702527
Units per outer package	1
Packaging outer length / height (cm)	306.0
Packaging outer width (cm)	6.2
Packaging outer depth (cm)	6.2

### SAFETY DATA

---

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No