

# Concord

## LYTESPAN H-TRACK DOUBLE 4M WHITE 9000-4/W-H 2070260



### Features

- Lytespan H-Track - 3 circuit track + 2 circuit control L1/L2/L3/Neutral/ground 16A/440V + D+/D- 2x1A/50V FELV AC, DALI, DMX, 1-10V etc. compatible, circuits can be controlled individually, aluminum body, suitable for surface and suspended installation, 4000 x 31.4 x 83 mm (L x W x H), white (RAL 9010).


### Product Overview

<b>Product name</b>	LYTESPAN H-TRACK DOUBLE 4M WHITE 9000-4/W-H
<b>Technology</b>	Accessory
<b>Housing</b>	Aluminium
<b>Mount</b>	Suspended, Ceiling surface mounting
<b>General application</b>	Hospitality, Museums & Galleries, Office
<b>ETIM Class</b>	EC000101
<b>Electrical protection</b>	Class I
<b>Housing colour</b>	RAL 9010 - Pure white
<b>Product EAN number</b>	5025768702602
<b>Warranty</b>	5 years

# Concord

## LYTESPAN H-TRACK DOUBLE 4M WHITE 9000-4/W-H 2070260

### Technical drawings



### Data table

#### GENERAL DATA

<b>Product name</b>	LYTESPAN H-TRACK DOUBLE 4M WHITE 9000-4/W-H
<b>Technology</b>	Accessory
<b>Accessory type</b>	Electrical
<b>Type of accessory</b>	Track
<b>Housing</b>	Aluminium
<b>Mount</b>	Suspended, Ceiling surface mounting
<b>General application</b>	Hospitality, Museums & Galleries, Office
<b>ETIM Class</b>	EC000101
<b>Warranty</b>	5 years

# Concord

## LYTESPAN H-TRACK DOUBLE 4M WHITE 9000-4/W-H 2070260

### ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Electrical protection	Class I
Control gear required	No

### PHYSICAL DATA

Housing colour	RAL 9010 - Pure white
Nominal Product Length (mm)	4000
Nominal Product Width (mm)	31.4
Nominal Product Height (mm)	83
Weight (kg)	6.4

### PACKAGING

Product EAN number	5025768702602
Packaging single length / height (cm)	406.0
Packaging single width (cm)	6.2
Packaging single depth (cm)	6.2
DUN14 (outer)	05025768702602
Units per outer package	1
Packaging outer length / height (cm)	406.0
Packaging outer width (cm)	6.2
Packaging outer depth (cm)	6.2

### SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No