

Product certificate K11292-32



Valid from **2026-05-15** Replaces **K11292-31**
Page **1 of 10**

Thermostatic mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Hansgrohe SE

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K610 "Thermostatic Mixing Valves" dated 01.02.2012,

which covers the requirements of

EN 1111:2017 "Sanitary tapware; Thermostatic mixing valves (PN10)".

Wim van Loon
Managing Director Nederland

Publication of this certificate is allowed.
Advice: consult www.kiwa.com in order to ensure that this certificate is still valid.



K11292-32**Thermostatic mixers****TECHNICAL SPECIFICATION**

The products mentioned below belong to this product certificate;

Hansgrohe**ECOSTAT 1001 SL**

13 241 xx0	thermostatic bath/ shower mixer
13 261 xx0	thermostatic shower mixer

ECOSTAT 1001 SL Care

13 282 xx0	thermostatic shower mixer
13 284 xx0	thermostatic bath/ shower mixer

ECOSTAT E

13 125 xx0	thermostatic shower mixer
13 145 xx0	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 700 xx0	Ecostat E
15 705 xx0	Ecostat E
15 707 xx0	Ecostat E
15 708 xx0	Ecostat E
15 710 xx0	Ecostat E
15 720 xx0	Ecostat E

ECOSTAT S

13 235 xx0	thermostatic shower mixer
13 245 xx0	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 701 xx0	Ecostat S
15 711 xx0	Ecostat S
15 715 xx0	Ecostat S
15 721 xx0	Ecostat S
15 755 xx0	Ecostat E
15 757 xx0	Ecostat E
15 758 xx0	Ecostat S
15 790 xx0	Ecostat S Care

HANSGROHE

01800180	i-Box Universal concealment set,	
in combination with:		
15 722 xx0	Puro	bath/ shower finish set
15 731 xx0	Mediano S	shower finish set
15 732 xx0	Mediano S	shower finish set
15 733 xx0	Mediano S	bath/ shower finish set
15 751 xx0	Classic	shower finish set
15 752 xx0	Classic	shower finish set
15 753 xx0	Classic	bath/ shower finish set
15 754 xx0	Classic	shower finish set
15 770 xx0	PuraVida	shower finish set
15 771 xx0	PuraVida	bath/ shower finish set
15 772 xx0	PuraVida	shower finish set
15 775 xx0	PuraVida	shower finish set
31 570 xx0	Metris E2	shower finish set
31 571 xx0	Metris E2	shower finish set
31 572 xx0	Metris E2	shower finish set
31 573 xx0	Metris E2	bath/ shower finish set

PICTA Comfort

13 715 xx0
13 714 xx0

FOX

14 244 xx0
14 246 xx0

The products above have been tested according to EN1111:1998.

ECOSTAT Comfort

13 120 xx0	thermostatic shower mixer
13 121 xx0	thermostatic bath/shower mixer
13 114 xx0	thermostatic bath/shower mixer
13 116 xx0	thermostatic shower mixer
33 710 xx0	Ecostat Comfort E, concealed shower mixer
33 711 xx0	Ecostat Comfort E, concealed b/s mixer
33 712 xx0	Ecostat Comfort E, concealed mixer
33 713 xx0	Ecostat Comfort Q, concealed shower mixer
33 714 xx0	Ecostat Comfort Q, concealed b/s mixer
33 715 xx0	Ecostat Comfort S, concealed mixer
33 716 xx0	Ecostat Comfort S, concealed shower mixer
33 717 xx0	Ecostat Comfort S, concealed b/s mixer
33 718 xx0	Ecostat Comfort S, concealed b/s mixer

ECOSTAT Universal

13 122 xx0	thermostatic shower mixer
13 111 xx0	thermostatic shower mixer

ECOSTAT Puro

13 148 xx0	thermostatic bath/shower mixer
13 232 xx0	thermostatic shower mixer
13 117 xx0	thermostatic shower mixer

series ECOSTAT Select

13 141 xx0	thermostatic bath/shower mixer
13 161 xx0	thermostatic shower mixer
30 164 918	thermostatic shower mixer

K11292-32**Thermostatic mixers****ECOSTAT Comfort Care**

13 115 xx0 thermostatic bath/shower mixer

Shower Tablet Select

13 151 xx0 thermostatic bath/shower mixer

13 171 xx0 thermostatic shower mixer

13 158 xx0 Shower thermostat 360 for exposed installation

RAINDANCE POWDER RAIN

30 730 418 thermostatic shower mixer

RAINDANCE ALIVE (flat pipes)

24 580 xx0 thermostatic shower mixer, with shower set

24 581 xx0 thermostatic shower mixer, with shower set

24 582 xx0 thermostatic shower mixer, with shower set

24 583 xx0 thermostatic shower mixer, with shower set

24 590 xx0 thermostatic shower mixer, with shower set

24 591 xx0 thermostatic shower mixer, with shower set

24 595 xx0 thermostatic shower mixer, with shower set

24 596 xx0 thermostatic shower mixer, with shower set

Shower Tablet Select 700

13 183 xx0 thermostatic bath/shower mixer

13 184 xx0 thermostatic mixer with 2 universal outlets

VERNIS BLEND & SHAPE

26 079 xx0 Shower pipe, consist of:
 30356318 Thermostatic mixer and Riser Pipe
 26271 Head shower
 26270 Hand shower

26 089 xx0 Shower pipe, consist of:
 30356218 Thermostatic mixer and Riser Pipe
 26271 Head shower
 26270 Hand shower

26 097 xx0 Shower pipe, consist of:
 30360018 Thermostatic mixer and Riser Pipe
 26281 Head shower
 26270 Hand shower

26 098 xx0 Shower pipe, consist of:
 30360118 Thermostatic mixer and Riser Pipe
 26281 Head shower
 26270 Hand shower

26 274 xx0 Shower pipe, consist of:
 30356318 Thermostatic mixer and Riser Pipe
 26271 Head shower
 26270 Hand shower

26 276 xx0 Shower pipe consist of:
 30356218 Thermostatic mixer and Riser Pipe
 26271 Head shower
 26270 Hand shower

26 284 xx0 Shower pipe consist of:
 30360118 Thermostatic mixer and Riser Pipe
 26281 Head shower
 26270 Hand shower

13 714 xx0 thermostatic bath/shower mixer

13 138 xx0 thermostatic bath/shower mixer

14 442 xx0 thermostatic bath/shower mixer

13 113 xx0 thermostatic shower mixer

15 368 xx0
 13 715 xx0 thermostatic shower mixer

13 137 xx0
 13 288 xx0 thermostatic shower mixer
 14 642 xx0 thermostatic shower mixer

ECOSTAT Comfort Nordic

13 118 xx0 thermostatic bath/shower mixer

13 119 xx0 thermostatic shower mixer

ECOSTAT Refresh

13 324 xx0 thermostatic shower mixer

13 325 xx0 thermostatic bath mixer

13 346 xx0 thermostatic shower mixer

13 347 xx0 thermostatic bath mixer

24 261 xx0 Shower pipe, consist of
 13 324 xx0 Thermostatic mixer
 24110 Hand shower

24 262 xx0 Shower pipe, consist of
 13 324 xx0 Thermostatic mixer
 24110 Hand shower

24 271 xx0 Shower pipe, consist of
 13 346 xx0 Thermostatic mixer
 24110 Hand shower

24 271 xx0 Shower pipe, consist of
 13 346 xx0 Thermostatic mixer
 24110 Hand shower

RAINFINITY

28 742 xx0 Shower pipe, consist of:
 30220416 Thermostatic shower mixer
 30032618 Over head shower
 26865 Hand shower

26 853 xx0 Shower pipe, consist of:
 30220416 Thermostatic shower mixer
 30010500 Over head shower
 26864 Hand shower

PULSIFY

24 340 xx0 thermostatic bath/shower mixer

24 360 xx0 thermostatic shower mixer

24 220 xx0 Shower pipe, consist of
 30376398 Thermostatic shower mixer
 30302498 Overhead Shower

K11292-32**Thermostatic mixers**

26 286 xx0	Shower pipe consist of: 30360018 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower	24 221 xx0	24110 Hand Shower Shower pipe, consist of 30376398 Thermostatic shower mixer 32302498 Overhead Shower 26270 Hand shower
26 318 xx0	Shower pipe consist of: 30356218 Thermostatic mixer and Riser Pipe 26281 Head shower	24 230 xx0	Shower pipe, consist of 30375298 Thermostatic bath mixer 26281 Head shower 30302498 Overhead Shower 24110 Hand Shower
26 319 xx0	Shower pipe consist of: 30356218 Thermostatic mixer and Riser Pipe 26270 Hand shower	24 240 xx0	Shower pipe, consist of 30373498 Thermostatic bath mixer 30358298 Overhead Shower 24110 Hand Shower
26 426 xx0	Shower pipe, consist of: 30356217 Thermostatic mixer and Riser Pipe 30306167 Overhead Shower 30331887 Hand Shower	24 241 xx0	Shower pipe, consist of 30373498 Thermostatic bath mixer 30358298 Overhead Shower 24111 Hand Shower
26 427 xx0	Shower pipe, consist of: 30360017 Thermostatic mixer and Riser Pipe 30306267 Overhead Shower 30331887 Hand Shower	PUROPIPES 24 222 xx0	Pulsify S Puro 260 1jet, consist of 30063718 Thermostatic mixer 30302498 Overhead shower 24125000 Hand shower
26 428 xx0	Shower pipe, consist of 30356227 Thermostatic mixer and Riser Pipe 30306367 Overhead Shower 32331887 Hand Shower		Pulsify S Puro 260 1jet, consist of 30063718 Thermostatic mixer 30302498 Overhead shower 24126000 Hand shower
26 429 xx0	Shower pipe, consist of 30360027 Thermostatic mixer and Riser Pipe 30306467 Overhead Shower 32331887 Hand Shower		Pulsify S Puro 260 1jet, consist of 30071518 bath thermostat 30302498 Overhead shower 24111000 Hand shower
26 899 xx0	Shower pipe, consist of 30356367 Thermostatic mixer and Riser Pipe 30306167 Overhead Shower 30331887 Hand Shower		Pulsify S Puro 260 1jet, consist of 30063718 Thermostatic mixer 30302498 Overhead shower 24110000 Hand shower
26 900 xx0	Shower pipe, consist of 30360167 Thermostatic mixer and Riser Pipe 30306267 Overhead Shower 30331887 Hand Shower	24 232 xx0	Pulsify S Puro 260 1jet, consist of 30063718 Thermostatic mixer 30302498 Overhead shower 24110000 Hand shower
SHOWER SELECT COMPOSITION		24 236 xx0	Pulsify S Puro 260 1jet, consist of 30063718 Thermostatic mixer 30302498 Overhead shower 24110000 Hand shower
01400180	AX i-Box Universal 2 concealed set	24 237 xx0	Pulsify S Puro 260 1jet, consist of 30063718 Thermostatic mixer 30302498 Overhead shower 24111000 Hand shower
01500180	HG i-Box Universal 2 concealed set	24 243 xx0	Pulsify Select S 105 3jet, consist of 13382000 Thermostatic mixer
In combination with:			24111000 Hand shower
15 553 xx0	Comfort S Thermostatic mixer 1 function		Ecostat Life Shower thermostat
15 554 xx0	Comfort S Thermostatic mixer 1 function		Ecostat Life Bath thermostat
15 556 xx0	Comfort S Thermostatic mixer 2 functions with integrated security combination according to EN 1717		
15 558 xx0	Comfort S Valve 3 functions	13 382 xx0	
15 559 xx0	Comfort S Thermostatic mixer	13 384 xx0	
15 562 xx0	Comfort S Thermostatic mixer 1 function	LIVA FINE 26 076 xx0	SHP DAP TH EcoSmart, consist of 30088718 Thermostatic mixer 26724000 Overhead shower 24111000 Hand shower
15 571 xx0	Comfort E Thermostatic mixer 1 function		
15 572 xx0	Comfort E Thermostatic mixer 2 functions		
15 573 xx0	Comfort E Valve 3 functions		
15 574 xx0	Comfort E Thermostatic mixer		
15 575 xx0	Comfort E Thermostatic mixer 1 function		
15 578 xx0	Comfort E Thermostatic mixer 2 functions		

K11292-32**Thermostatic mixers**

	with integrated security combination acc. to EN1717	AVALEGRA	
15 581 xx0	Comfort Q Thermostatic mixer 1 function	30 096 2xx	Thermostatic wash basin mixer – integral part of products 22472xx0 and 22473xx0
15 583 xx0	Comfort Q Thermostatic mixer 2 functions	ACTIVERA S	
15 586 xx0	Comfort Q Thermostatic mixer 2 functions with integrated security combination according to EN1717	28 638 xx0	Showerpipe 240 1jet EcoSmart with ShowerTablet Select 360 Varia
		28 639 xx0	Showerpipe 240 1jet EcoSmart+ with ShowerTablet Select 360 Varia
		ACTIVERA Q	
15 587 xx0	Comfort Q Valve 3 functions	28 648 xx0	Showerpipe 290/180 1jet EcoSmart with ShowerTablet Select 360 Varia
15 588 xx0	Comfort Q Thermostatic mixer	28 649 xx0	Showerpipe 290/180 1jet EcoSmart+ with ShowerTablet Select 360
15 589 xx0	Comfort Q Thermostatic mixer 1 function 24111 Hand Shower		
	ACTIVERA SELECT S		
28 087xx0	Shower system for exposed installation 95 2jet EcoSmart with ShowerTablet Select 360 and shower bar 65 cm		

The products above have been tested according to EN 1111:2017.

K11292-32**Thermostatic mixers****AXOR****BOUROLLEC**

01800180	i-Box Universal concealment set, in combination with:
19 700	finish set
19 702	finish set
19 704	finish set
19 706	bath/ shower finish set

CARLTON

17 241 xx0	thermostatic bath/ shower mixer
17 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
17 700 xx0	shower finish set
17 705 xx0	shower finish set
17 710 xx0	shower finish set
17 712 xx0	shower finish set
17 715 xx0	shower finish set
17 716 xx0	shower finish set
17 720 xx0	bath/ shower finish set

17 725 xx0	bath/ shower finish set
------------	-------------------------

CITTERIO

39 365 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
39 700 xx0	thermostatic mixer - concealed
39 705 xx0	thermostatic mixer - concealed
39 710 xx0	thermostatic mixer - concealed
39 711 xx0	shower finish set
39 715 xx0	thermostatic mixer – concealed
39 716 xx0	shower finish set
39 720 xx0	bath/ shower finish set
39 725 xx0	bath/ shower finish set

CITTERIO M

01800180	i-Box Universal concealment set, in combination with:
34 705 xx0	shower finish set
34 715 xx0	shower finish set
34 716 xx0	shower finish set
34 725 xx0	bath/shower finish set

MASSAUD

01800180	i-Box Universal concealment set, in combination with:
18 740 xx0	shower finish set
18 741 xx0	shower finish set
18 745 xx0	shower finish set
18 750 xx0	bath/ shower finish set

MONTREUX

16 241 xx0	thermostatic bath/ shower mixer
16 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
16 800 xx0	shower finish set
16 810 xx0	shower finish set
16 815 xx0	shower finish set
16 820 xx0	bath/ shower finish set

STARCK

01800180	i-Box Universal concealment set, in combination with:
10 700 xx0	shower finish set
10 710 xx0	shower finish set
10 715 xx0	shower finish set
10 720 xx0	bath/ shower finish set

STARCK X

01800180	i-Box Universal concealment set, in combination with:
10 706 xx0	shower finish set
10 716 xx0	shower finish set
10 717 xx0	shower finish set
10 726 xx0	bath/ shower finish set

STEEL

01800180	
35 700 xx0	shower finish set
35 710 xx0	shower finish set
35 715 xx0	shower finish set
35 720 xx0	bath/ shower finish set

TERRANO

37 241 xx0	thermostatic bath / shower mixer
37 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
37 700 xx0	shower finish set
37 705 xx0	shower finish set
37 710 xx0	shower finish set
37 711 xx0	shower finish set
37 715 xx0	shower finish set

UNO

01800180	i-Box Universal concealment set, in combination with:
38 715 xx0	shower finish set
38 375 xx0	shower finish set
38 700 xx0	shower finish set

K11292-32**Thermostatic mixers**

		38 720 xx0	bath/ shower finish set
URQUIOLA			
01800180	i-Box Universal concealment set, in combination with:		
11 730 xx0	finish set		
11 731 xx0	finish set		
11 732 xx0	finish set		
11 733 xx0	bath/ shower finish set		

The products above have been tested according to EN 1111:1998.

URQUIOLA

11 422 000 roman tub set

ONE

45 711 xx0 Module for concealed installation, 1 outlet

CITTERIO E

45 712 xx0 Module for concealed installation, 2 outlets

36 140 xx0 thermostatic bath/ shower mixer 45 713 xx0 Module for concealed installation, 3 outlets

36 160 xx0 thermostatic shower mixer 48 711 xx0 Module for concealed installation with basic set 10754180.

CITTERIO M 48 712 xx0 module for concealed installation, 2 functions with cross handle with basic set 48720180.

34 435 xx0 thermostatic bath/ shower mixer 48 713 xx0 module for concealed installation, 3 functions with cross handle with basic set 48710180

34 635 xx0 thermostatic shower mixer 48 722 xx0 module for concealed installation for 2 functions with lever handle

48 723 xx0 module for concealed installation for 3 functions with lever handle

SHOWER COMPOSITION

48 794 xx0 Showerpipe set consisting of thermostat 30096938, head shower 30357418, hand shower 48651000, hose 28259000, 280 1jet

12571xx0 thermostatic shower mixer in combination with: 48 795 xx0 Showerpipe set consisting of thermostat 33096938, head shower 33357418, hand shower 48651000, hose 28259000, 280 1jet EcoSmart

18310180 basic set 48 796 xx0 Showerpipe set consisting of thermostat 30097838, head shower 30357418, hand shower 48651000, hose 28259000, 280 1jet, concealed installation

12572xx0 thermostatic shower mixer in combination with: 48 797 xx0 Showerpipe set consisting of thermostat 30097838, head shower 33357418, hand shower 48651000, hose 28259000, 280 1jet, EcoSmart, concealed installation

18311180 basic set 48 470 xx0 2-hole rim mounted thermostatic bath mixer

12573xx0 thermostatic shower mixer in combination with:

series STARCK Organic

18312180 basic set thermostatic bath/ shower mixer

K11292-32

Thermostatic mixers

12595xx0	Shower panel in combination with:	12 602 xx0	thermostatic shower mixer
12676180	basic set		
series Terra			
		12 672 xx0	Thermostatic shower set with concealed body, in combination with:
CITTERIO C			30000518 Head shower
49 700 xx0	Thermostatic module 380/120 for concealed installation with plate for 2 functions		
			28532xxx Hand shower
49 701 xx0	Thermostatic module 380/120 for concealed installation with plate for 2 functions - cubic cut		
49 710 xx0	Thermostatic module 380/120 for concealed installation with escutcheons for 3 functions		
49 711 xx0	Thermostatic module 380/120 for concealed installation with escutcheons for 3 functions - cubic cut		

The products above have been tested according to EN 1111:2017.

The colour code (xx0) of the mentioned mixers can be as follows:

-02	Polished Chrome PVD
-13	Polished Bronze PVD
-14	Brushed Bronze PVD
-25	Brushed Gold Optic PVD
-26	Brushed Chrome PVD
-28	Black Glossy, Powder coated
-29	Black Matt, Powder coated
-30	Polished Red gold PVD
-31	Brushed Red gold PVD
-33	Polished Black Chrome PVD
-34	Brushed Black Chrome PVD
-35	Real Gold, Galvanic
-36	Black Matt, Wet coating
-47	Black Glossy, Wet coating
-51	White Glossy, Powder coated
-53	White Matt , Powder coated
-54	White Glossy , Wet coating
-55	White Matt, Wet coating
-66	Polished Steel Optic PVD
-80	Brushed Steel Optic PVD
-82	Brushed Nickel PVD
-83	Polished Nickel PVD
-99	Polished Gold Optic PVD
-670	Black Matt, Powder coated
-670	Black Matt, Wet coating

Thermostatic mixers

-700	White Matt, Powder coated
-700	White Matt, Wet coating

Thermostatic mixers

Remark

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (“Regulation on materials and chemicals in drinking water and warm tap water supply”), implemented on 01 July 2017, as specified in clause 4.2.2.1 of the Kiwa Evaluation guideline BRL-K610.

Marking

The Kiwa®-mark products are marked with the wordmark “KIWA”.

Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication for temperature selection: on the control device;
- the acoustic group, if classified: on the body;
- the flow rate class: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

APPLICATION AND USE

Thermostatic mixing valves are intended for application in tap water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 90 °C. The recommended limits for correct operation are: a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65 °C.

RECOMMENDATIONS FOR THE CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Hansgrohe SE
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.