


## Data Sheet | Item Number: 272-304/201-000

Power supply connector; push-button on both sides; without snap-in mounting feet; with snap-in ground contact; 4-pole; white

<https://www.wago.com/272-304/201-000>



Color: ■ white

Similar to illustration

Dimensions in mm

Field-wiring terminal block, 272 Series, white

This field-wiring terminal block (item number 272-304/201-000) is designed for simple and secure connections. Strip lengths must be between 8 and 9 mm when connecting conductors to this field-wiring terminal block. This product features one conductor terminal and utilizes PUSH WIRE®. Our proven PUSH WIRE® connection offers the fastest method for clamping conductors. It utilizes the conductor's stiffness to overcome the clamping spring's contact force. The dimensions are (38.5 x 19 x 24.5) mm (width x height x depth).

### Electrical data

Ratings per	IEC/EN 60664-1		
Overtoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	400 V	-
Rated impulse withstand voltage	-	4 kV	-
Rated current	-	18 A	-

### Connection Data

Clamping units	16
Number of connection types	1

#### Connection 1

Connection technology	PUSH WIRE®
Strip length	8 ... 9 mm / 0.31 ... 0.35 inches

### Physical data

Width	38.5 mm / 1.516 inches
Height	19 mm / 0.748 inches
Depth	24.5 mm / 0.965 inches

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	white
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.244 MJ
Weight	13.5 g

### Commercial data

PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332066457
Customs tariff number	85369010000

### Product Classification

UNSPSC	39121410
ETIM 9.0	EC000446
ETIM 10.0	EC000446
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Approvals / Certificates

#### General approvals



Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2 No. 158	70048844

## Downloads

### Environmental Product Compliance

#### Compliance Search

Environmental Product  
Compliance  
272-304/201-000



## Documentation

### Additional Information

Technical Section

03.04.2019

pdf

2027.26 KB



## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Installation

##### 1.1.1.1 Mounting accessories



[Item No.: 271-702](#)

Pins; white



[Item No.: 271-711](#)

Pins; white



[Item No.: 271-712](#)

Pins; white