

# Productinformatieblad

Specificaties



## Harmony XB4, Beschermkapje voor rechthoekige meerkoppige drukknop, Ø22mm

ZBA708

EAN Code: 3389119044301

**Prijs: 6,66 EUR**

### Hoofd

range of product	Harmony XB4 Harmony XB5
type toebehoren	Dubbele stofhuls
product or component type	Siliconenbeschermkapje
categorie toebehoren	Beveiligingstoebereiden
bestemming toebehoren	Verzonken drukknop met dubbele kop
vorm	Rechthoekig
productspecifieke toepassing	Voor toepassingen voedingsindustrie
Quantity per set	Set van 10

### Complementair

colour	Transparant
net weight	0,055 kg

### Verpakkingseenheid

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1,500 cm
Package 1 Width	3,500 cm
Package 1 Length	5,500 cm
Package 1 Weight	4,000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	4,000 cm
Package 2 Width	12,000 cm
Package 2 Length	16,000 cm
Package 2 Weight	49,000 g
Unit Type of Package 3	S03
Number of Units in Package 3	500
Package 3 Height	30,000 cm
Package 3 Width	30,000 cm

De weergegeven prijs is de adviesprijs in euro excl. BTW. Deze kan onderhevig zijn aan korting. Neem contact op met uw lokale distributeur of detailhandel voor de daadwerkelijke prijs

---

Package 3 Length	40,000 cm
------------------	-----------

---

Package 3 Weight	2,881 kg
------------------	----------

## **contractuele waarborg**

---

Garantie	18 months
----------	-----------

## Environmental Data

Schneider Electric wil tegen 2050 de Net Zero-status hebben bereikt via partnerschappen in de toeleveringsketen, materialen met een lagere impact en circulariteit via onze doorlopende campagne "Use Better, Use Longer, Use Again" om de levensduur van producten en de recycleerbaarheid te verlengen.

[Uitleg van Environmental Data](#) >

[Hoe evalueren we de duurzaamheid van producten?](#) >

### Milieuoetafdruk

Totale levenscyclus ecologische voetafdruk	1
--	---

## Use Better

### Materialen en verpakking

Pakket met gerecycleerd karton	Ja
--------------------------------	----

Verpakkingen zonder kunststof	Nee
-------------------------------	-----

[EU-richtlijn RoHS](#)

Voldoet pro-actief (Product valt niet onder de EU RoHS juridische scope)

REACH-regelgeving

[REACH-verklaring](#)

## Use Again

### Herverpakken en herfabriceren

Terugname	No
-----------	----

Offer Marketing Illustration

Product benefits / Features

---

### Features Harmony XB4

- Quick and easy assembly and disassembly
- Excellent mechanical connection with operator head
- Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board
- Large set of accessories to customize your panels
- Robustness to withstand harsh environments

Offer Marketing Illustration

Product benefits / Features

---


## Technical Benefits

### Harmony XB4

Conformity with IEC, UL, CSA, CCC EAC, and JIS standards, as well as CE marking and marine approvals

Up to IP66, 67, 69, 69K, and type 4X protection ratings

High vibration resistance with shake-proof terminal screws



Operating temperature from -40°C to 70°C

Shock protection level up to IK06

Secure switching of inductive or heavy DC loads directly – 100 000 operations at 10A, 24V dc

Image of product / Alternate images

Alternative

---





