


# Concord

## LYTESPAN H-TRACK LIVE END FEED RIGHT WHT 9001/W-H 2070301



### Features

- Lytespan H-Track accessory, live end feed right. Polycarbonate body, copper alloy contacts. White. Please check the polarity diagram on selling sheet.


### Product Overview

Product name	LYTESPAN H-TRACK LIVE END FEED RIGHT WHT 9001/W-H
Technology	Accessory
Housing	PC Polycarbonate
Mount	Track mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	White
Product EAN number	5025768703012
Warranty	5 years

# Concord

## LYTESPAN H-TRACK LIVE END FEED RIGHT WHT 9001/W-H 2070301

### Technical drawings



### Data table

#### GENERAL DATA

<b>Product name</b>	LYTESPAN H-TRACK LIVE END FEED RIGHT WHT 9001/W-H
<b>Technology</b>	Accessory
<b>Accessory type</b>	Electrical
<b>Type of accessory</b>	End-feed
<b>Housing</b>	PC Polycarbonate
<b>Mount</b>	Track mounting
<b>General application</b>	Hospitality, Museums & Galleries, Office
<b>ETIM Class</b>	EC002556
<b>Warranty</b>	5 years

# Concord

## LYTESPAN H-TRACK LIVE END FEED RIGHT WHT 9001/W-H 2070301

### ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm <sup>2</sup> )	2.5

### PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	95
Nominal Product Width (mm)	31.4
Weight (kg)	0.5

### PACKAGING

Product EAN number	5025768703012
Packaging single length / height (cm)	30.0
Packaging single width (cm)	30.0
Packaging single depth (cm)	15.0
DUN14 (outer)	05025768703012
Units per outer package	1
Packaging outer length / height (cm)	30.0
Packaging outer width (cm)	30.0
Packaging outer depth (cm)	15.0

### SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No