



Color: ■ light gray

Electrical data

| Ratings per IEC/EN      |       |
|-------------------------|-------|
| Nominal voltage (III/3) | 800 V |
| Rated current           | 18 A  |

Physical data

|                   |                        |
|-------------------|------------------------|
| Width             | 23.9 mm / 0.941 inches |
| Height            | 4.1 mm / 0.161 inches  |
| Depth             | 19 mm / 0.748 inches   |
| Jumper assignment | 1-2 3-4 5-6            |

Material data

|                      |                                                                          |
|----------------------|--------------------------------------------------------------------------|
| Note (material data) | <a href="#">Information on material specifications can be found here</a> |
| Color                | light gray                                                               |
| Fire load            | 0.018 MJ                                                                 |
| Weight               | 2 g                                                                      |

Commercial data

|                       |               |
|-----------------------|---------------|
| PU (SPU)              | 25 pcs        |
| Packaging type        | Bag           |
| Country of origin     | DE            |
| GTIN                  | 4055143699204 |
| Customs tariff number | 85366990990   |



| Product Classification |                      |
|------------------------|----------------------|
| UNSPSC                 | 39121421             |
| eCl@ss 10.0            | 27-14-11-40          |
| eCl@ss 9.0             | 27-14-11-40          |
| ETIM 9.0               | EC000489             |
| ETIM 10.0              | EC000489             |
| ECCN                   | NO US CLASSIFICATION |

| Environmental Product Compliance |                        |
|----------------------------------|------------------------|
| RoHS Compliance Status           | Compliant,No Exemption |

## Downloads

### Environmental Product Compliance

| Compliance Search                                    |                   |
|------------------------------------------------------|-------------------|
| Environmental Product Compliance<br>2001-406/020-000 | <a href="#">↓</a> |

## Documentation

| Bid Text         |            |                 |                   |
|------------------|------------|-----------------|-------------------|
| 2001-406/020-000 | 19.02.2019 | xml<br>2.54 KB  | <a href="#">↓</a> |
| 2001-406/020-000 | 27.04.2017 | doc<br>23.50 KB | <a href="#">↓</a> |


## CAD/CAE-Data

| CAD data                         |                   |
|----------------------------------|-------------------|
| 2D/3D Models<br>2001-406/020-000 | <a href="#">↓</a> |

| CAE data                              |                   |
|---------------------------------------|-------------------|
| EPLAN Data Portal<br>2001-406/020-000 | <a href="#">↓</a> |
| WSCAD Universe<br>2001-406/020-000    | <a href="#">↓</a> |
| ZUKEN Portal<br>2001-406/020-000      | <a href="#">↓</a> |

## Installation Notes

### Commoning



This delta jumper has been specially developed to create a delta configuration and is used on motor terminal boards equipped with rail-mount terminal blocks TOPJOB® S.

