

FICHE TECHNIQUE DU PRODUIT

Type: BHK-TH 40598



9120061394762

Brève description

Radiocommande pour BHK avec horloge écran LCD



Description du produit

Le BHK-

TH est une commande sans fil pour le radiateur de salle de bain BHK. Une installation sans fil simple qui évite les travaux de fraisage importants pour le câblage et facilite l'installation ultérieure. Le thermostat peut être monté sur un boîtier encastré ou au mur. Il possède une minuterie he bdomadaire multifonctionnelle, un contrôle de la température ambiante, une fonction booster, une horloge, des modes ECO, CONFORT et Abse nce. Plage de température: 5 à 30°C, Indice de protection: IP 30, Couleur: RAL 9010, Dimensions: 140x80x28 mm, Alimentation: micropiles AAA (incluses), Fréquence: 868 MHz, Portée 100 - 300 m, Conformité CE.

Caractéristiques de l'ETIM

Networkable via radiografic (standard)	✓	Supply voltage	3 Volt
Networkable via radio (optional)	❖	Output voltage	0 Volt
Connection for external antenna	×	Number of channels/zone	1
Smart control	×	Max. power per channel	0 Voltampere
Suitable for heating	✓	Reception frequency	868 Megahertz
Suitable for cooling	×	Max. contact voltage	0 Volt
With time switch clock	✓	Max. contact load	0 Ampere
With extra contact	×	Width	135 Millimetre
Contact type	Other	Height	80 Millimetre
Degree of protection (IP)	IP30	Depth	23 Millimetre

Créé le: 09/10/2024

T: +31 (0)88 88 98 800 E: info@etherma.nl

W: www.etherma.nl