

Data Sheet | Item Number: 285-495

Jumper; insulated; gray

<https://www.wago.com/285-495>



Color: ■ gray

Electrical data

Ratings per IEC/EN

Rated current 232 A

Ex information

Rated current (Ex e II) 211 A

Physical data

Width 42 mm / 1.654 inches

Height 25 mm / 0.984 inches

Depth 47 mm / 1.85 inches

Jumper assignment 1-2

Material data

Note (material data) [Information on material specifications can be found here](#)

Color gray

Fire load 0.163 MJ

Weight 55 g

Commercial data

Product Group 1 (Rail Mounted Terminal Blocks)

PU (SPU) 100 (25) pcs

Packaging type Box

Country of origin DE

GTIN 4044918269490

Customs tariff number 85366990990

Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Approvals for hazardous areas



Approval	Standard	Certificate Name
AEx Underwriters Laboratories Inc.	UL 60079	E185892 (AEx eb II C resp. Ex eb II C)

Downloads

Environmental Product Compliance

Compliance Search
Environmental Product Compliance 285-495 ↓

Documentation

Bid Text			
285-495	19.02.2019	xml 2.62 KB	↓
285-495	04.01.2018	doc 22.50 KB	↓

CAD/CAE-Data

CAD data
2D/3D Models 285-495 ↓

CAE data
EPLAN Data Portal 285-495 ↓
WSCAD Universe 285-495 ↓
ZUKEN Portal 285-495 ↓

Installation Notes

Commoning



Commoning with an adjacent jumper: insert the jumper above the conductor entry hole – prior to conductor termination. The nominal cross-section remains unchanged.



Removing jumper via operating tool.