



Color: ■ gray

### Electrical data

#### Ratings per IEC/EN

|               |      |
|---------------|------|
| Rated current | 16 A |
|---------------|------|

### Physical data

|                   |                      |
|-------------------|----------------------|
| Width             | 10 mm / 0.394 inches |
| Height            | 3 mm / 0.118 inches  |
| Jumper assignment | 1-2                  |

### Material data

|                                    |                                                                          |
|------------------------------------|--------------------------------------------------------------------------|
| Note (material data)               | <a href="#">Information on material specifications can be found here</a> |
| Color                              | gray                                                                     |
| Material group                     | I                                                                        |
| Insulation material (main housing) | Polyamide (PA66)                                                         |
| Flammability class per UL94        | V0                                                                       |
| Fire load                          | 0.005 MJ                                                                 |
| Weight                             | 0.5 g                                                                    |

### Commercial data

|                       |               |
|-----------------------|---------------|
| PU (SPU)              | 200 (25) pcs  |
| Packaging type        | Box           |
| Country of origin     | DE            |
| GTIN                  | 4044918458283 |
| Customs tariff number | 85366990990   |



| Product Classification |                      |
|------------------------|----------------------|
| UNSPSC                 | 39121421             |
| eCl@ss 10.0            | 27-14-11-40          |
| eCl@ss 9.0             | 27-14-11-40          |
| ETIM 9.0               | EC000489             |
| ETIM 8.0               | EC000489             |
| ECCN                   | NO US CLASSIFICATION |

| Environmental Product Compliance |                         |
|----------------------------------|-------------------------|
| RoHS Compliance Status           | Compliant, No Exemption |

## Downloads

### Environmental Product Compliance

| Compliance Search                        |                   |
|------------------------------------------|-------------------|
| Environmental Product Compliance 264-402 | <a href="#">↓</a> |

## Documentation

| Bid Text |            |                 |                   |
|----------|------------|-----------------|-------------------|
| 264-402  | 19.02.2019 | xml<br>2.62 KB  | <a href="#">↓</a> |
| 264-402  | 30.05.2017 | doc<br>23.50 KB | <a href="#">↓</a> |

## CAD/CAE-Data

| CAD data             |                   |
|----------------------|-------------------|
| 2D/3D Models 264-402 | <a href="#">↓</a> |

| CAE data                  |                   |
|---------------------------|-------------------|
| EPLAN Data Portal 264-402 | <a href="#">↓</a> |
| WSCAD Universe 264-402    | <a href="#">↓</a> |
| ZUKEN Portal 264-402      | <a href="#">↓</a> |

## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Tool

##### 1.1.1.1 Operating tool



**Item No.: 280-432**

Operating tool; made of insulating material; 2-way; white

## Installation Notes

### Commoning



Commoning with comb-style jumper bar.

Commoning with comb-style jumper bar.